Author Index

Ahluwalia, J. C. See Mishra, A. K., 2397
Akutsu, H. See Kakiuchi, K., 1027
Albergo, D. D. See Freier, S. M., 1107
Allison, S. A.
Total Intensity Light Scattering from Short, Optically Anisotropic Wormlike Chains, 1545
Amsler, K. See Ricka, J., 1301
Anderle, G. See Gierasch, L. M., 381
Anderson, J. S.
—; Bowitch, G. S.; Brewster, R. L.: Influence of Conformation on the Fluorescence of Tryptophan-Containing Peptides, 2459
Antonini, E.
—; Ascenzi, P.; Menegatti, E.; Guarneri, M.: Multiple Intermediates in the Reaction of Bovine β-Trypsin with Bovine Pancreatic Trypsin Inhibitor (Kunitz), 363
Arlandini, E. See Gioia, B., 487
Ascenzi, P. See Antonini, E., 363
Atreyi, M.
—; Rao, M. V. R.; Kumar, S.: Copolymerization Kinetics of *N*-Carboxyanhydrides of Some α-Amino Acids: Influence of Nature of Amino Acids, 747
Aubry, A.
—; Marraud, M.: Serine and β-Turns, 341

Babu, U. M. See Maurer, P. H., 441
Baker, L. J.
—; Hansen, A. M. F.; Rao, P. B.; Bryan, W. P.: Effects of the Presence of Water on Lysozyme Conformation (Communication), 1637
Balaram, P. See Francis, A. K., 1499; Rao, C. P., 2091; Vijayakumar, E. K. S., 2133
Balazs, E. A. See Cowman, M. K., 1319
—; Cowman, M. K.; Briller, S. O.; Cleland, R. L.: On the Limiting Viscosity Number of Hyaluronate in Potassium Phosphate Buffers Between pH 6.5 and 8 (Communication), 589
Baldwin, R. L. See Kuwajima, K., 59; Widom, J., 1595, 1621
Bale, M. D. See Janmey, P. A., 2017
Bavoso, A. See Benedetti, E., 305; Toniolo, C., 205, 1335
Bayley, P. M.
—; Clark, D. C.; Martin, S. R.: Conformational Properties of Microtubule Protein: Their Relation to the Self-Assembly Process *in vitro*, 87
Bechtold, G. See Genzel, L., 1715
Becker, J. M. See Naider, F., 1401; Shenbagamurthi, P., 815
Becktel, W. J. See Schellman, J. A., 171
Bellini, C. See Filippi, B., 575
Benedetti, E. See Pedone, C., 323; Toniolo, C., 205, 1335
—; Toniolo, C.; Bavoso, A.; Di Blasio, B.; Pavone, V.; Pedone, C.; Toniolo, C.; Bonora, G. M.: Solid-State Geometry and Conformation of Linear, Diastereoisomeric Oligoprolines, 305
Benham, C. J. See Grassian, V., 1523
Benight, A. S.
—; Wartell, R. M.: Influence of Base-Pair Changes and Cooperativity Parameters on the Melting Curves of Short DNAs, 1409
Bennett, W. S., Jr. See Huber, R., 261
Berman, E.
—; Shafer, R. H.: ^{13}C-NMR Study of Chromomycin A_3 and Actinomycin D Complexed with Calf Thymus DNA Fragments (Communication), 2163
Berns, D. S. See Chen, C.-H., 1223
Berthet, C. See Strom, R., 391
Binkert, T. See Ricka, J., 1301
Biondi, L. See Filippi, B., 575
Blackwell, J. See Lee, D. M., 1383; Shogren, R., 1657
Blagoi, Y. P.
—; Sorokin, V. A.; Valeev, V. A.; Gladchenko, G. O.: Effects of Calcium and Manganese Ions on the Helix–Coil Transition of DNA, 1641
Blonski, W. J. P.
—; Hruska, F. E.; Sadana, K. L.; Loewen, P. C.: Conformational Study of Ribonucleotides, 2′-Deoxyribonucleotides, and Arabinonucleotides by Carbon-13 Nuclear Magnetic Resonance, 605
Bloomfield, V. A. See Thomas, T. J., 1097
Hydrodynamic Properties of Mucous Glycoproteins, 2141
Blumenfeld, K. S. See Marky, L. A., 1247

Blundell, T. See Glover, I., 293
Boat, T. F. See Shogren, R., 1657
Bode, K.
—; Mutter, M.; Saltman, R. P.; Goodman, M.; Ribeiro, A.: ^{1}H-NMR Studies on Poly(oxyethylene)-Bound Oligopeptides, 163
Bonora, G. M. See Benedetti, E., 305; Maser, F., 233; Toniolo, C., 205, 1335
Bosch, R. See Jung, G., 241
Bowitch, G. S. See Anderson, J. S., 2459
Bowman, R. L.
—; Kellerman, M.; Johnson, W. C., Jr.: Optical Properties of Cyclic Dimers of Amino Acids: An Experimental and Theoretical Study, 1045
Brady, G. W. See Grassian, V., 1523
Brahmachari, S. K. See Rajagopalan, M., 1633
Brant, D. A. See Burton, B. A., 1769
Breslauer, K. J. See Marky, L. A., 1247
Brewster, R. L. See Anderson, J. S., 2459
Briller, S. O. See Balazs, E. A., 589
Broyde, S.
—; Hingerty, B.: Conformation of 2-Aminofluorene-Modified DNA, 2423
Bryan, W. P. See Baker, L. J., 1637
Bulone, D.
—; Cupane, A.; Cordone, L.: Conformational and Functional Properties of Hemoglobin in Water–Organic Cosolvent Mixtures: Effect of Ethylene Glycol and Glycerol on Oxygen Affinity, 119
Bumpus, F. M. See Fermandjian, S., 227
Burton, B. A.
—; Brant, D. A.: Comparative Flexibility, Extension, and Conformation of Some Simple Polysaccharide Chains, 1769
Bush, C. A. See Cowman, M. K., 1319
Byler, D. M.
—; Susi, H.; Farrell, H. M.: Laser-Raman Spectra, Sulfhydryl Groups, and Conformation of the Cystine Linkages of β-Lactoglobulin (Communication), 2507

Capasso, S.
—; Giordano, F.; Mattia, C. A.; Mazzarella, L.; Zagari, A.: Refinement of the Structure of Bovine Seminal Ribonuclease, 327
Causley, G. C.
—; Staskus, P. W.; Johnson, W. C., Jr.: Improved Methods of Analysis for CD Data Applied to Single-Strand Stacking, 945
Celada, F.
—; Strom, R. β-Galactosidase: Immune Recognition of Conformation and Mechanism of Antibody-Induced Catalytic Activation, 465
Chaiken, I. M. See Fontana, A., 69
Neurophysin–Neuropeptide Hormone Complexes: Biosynthetic Origin and Noncovalent Interactions, 355
Chaillot, B. See Thirion, C., 2367
Chan, W. Y. See Hruby, V. J., 517
Chaturvedi, N. C. See Sigler, G. F., 2157
Chavin, S. I. See Welsh, E. J., 821
Cheifetz, S. See Deber, C. M., 377
Chen, C.-H.
—; Liu, I.-W.; MacColl, R.; Berns, D. S.: Differences in Structure and Stability Between Normal and Deuterated Proteins (Phycocyanin), 1223
Chen, C.-W.
—; Cohen, J. S.: Salt- and Sequence-Dependence of the Secondary Structure of DNA in Solution by ^{31}P-NMR Spectroscopy, 879
Cheng, D. M. See Uesugi, S., 1189
—; Kan, L.-S.; Ts'o, P. O. P.; Uesugi, S.; Takatsuka, Y.; Ikehara, M.: Multinuclear Magnetic Resonance Studies of Monomers and Dimers Containing 2′-Fluoro-2′-Deoxyadenosine, 1427
Cheng, P. W. See Shogren, R., 1657
Chorev, M. See Ribeiro, A., 247, 1869; Stern, P. S., 1885, 1901
Chu, B. See Kubota, K., 1461
Chu, Y. G.
—; Tinoco, I., Jr.: Temperature-Jump Kinetics of the dC-G-T-G-A-A-T-T-C-G-C-G Double Helix Containing a G·T Base Pair and the dC-G-C-A-G-A-A-T-T-C-G-C-G Double Helix Containing an Extra Adenine, 1235
Clark, D. C. See Bayley, P. M., 87
Cleland, R. L. See Balazs, E. A., 589
Viscometric Study of the Proteoglycan–Hyaluronate (2:1) "Dimer": Minimum Hyaluronate Chain Length (Communication), 2501
Clementi, E. See Ranghino, G., 1449
Cohen, J. S. See Chen, C.-W., 879
Corbett, R. J. T.
—; Roche, R. S.: The Unfolding Mechanism of Thermolysin, 101
Cordone, L. See Bulone, D., 119
—; Cupane, A.; Fornili, S. L.: Conformational and Functional Properties of Hemoglobin in Perturbed Solvent: Kinetics of O_2 Release, 1677
Couchman, P. R.
—; Gajnos, G. E.; Ryan, C. L., Jr.; Karasz, F. E.: Heat-Capacity Increments: Conformational Transitions in Polypeptides, 2411
Cowman, M. K. See Balazs, E. A., 589
—; Bush, C. A.; Balazs, E. A.: Vacuum-Ultraviolet Circular Dichroism of Sodium Hyaluronate Oligosaccharides and Polymer Segments, 1319

Craik, D. J. See Levy, G. C., 2703
Crane-Robinson, C.
—; Privalov, P. L.: Conformation and Folding in Histones H1 and H5, 113
Creighton, T. E.
An Empirical Approach to Protein Conformation Stability and Flexibility, 49
Crifo, C. See Strom, R., 391
Crothers, D. M. See Shum, B. W.-K., 919
Cupane, A. See Bulone, D., 119; Cordone, L., 1677

Darman, P. See Hruby, V. J., 517
Dauber, P. See Madison, V., 27
Davies, D. B.
—; Sadikot, H.: NMR Evidence of the Relation between Sugar Ring and C3′—O3′ Bond Conformational Properties of Oligo- and Polynucleotides in Solution (Communication), 1843
Davis, C. C. See Swicord, M. L., 2513
Dearborn, D. G. See Shogren, R., 1657
Deber, C. M.
—; Cheifetz, S.; Moscarello, M. A.: Microheterogeneity of Bovine Myelin Basic Protein Studied by Nuclear Magnetic Resonance Spectroscopy, 377
de Castiglione, R. See Gioia, B., 487
Exploitation and Exploration of Ceruletide and Eledoisin, Two Peptides of Nonmammalian Origin, 507
De Haas, M. P. See Van Lith, D., 807
de Haen, C.
—; Easterly, R. A.; Teller, D. C.: Translational Friction of Rigid Assemblies of Spheres: Derivation and Application of New Hydrodynamic Interaction Tensors, 1133
Delaney, N. G. See Madison, V., 869
Delaye, M.
—; Gromiec, A.: Mutual Diffusion of Crystallin Proteins at Finite Concentrations: A Light-Scattering Study, 1203
Delbarre, A.
—; Shafer, R. H.; James, T. L.: ^{19}F-NMR Study of DNA bis-Intercalation, 2497
De Santis, P.
—; Falcioni, M.; Morosetti, S.; Savino, M.: DNA Supercoiling Induced by a Synthetic Polypeptide (Communication), 2517
—; Morosetti, S.; Palleschi, A.: Topological Aspects of the Conformational Transformations in Polypeptides and Proteins, 37
Dewey, T. G.
Band Structure of Electronic Circular Dichroism Spectra and the Born-Oppenheimer Approximation, 1571
Di Blasio, B. See Benedetti, E., 305; Pedone, C., 323; Toniolo, C., 205, 1335
Dodson, E. J.
—; Dodson, G. G.; Hubbard, R. E.; Reynolds, C. D.: Insulin's Structural Behavior and Its Relation to Activity, 281
Dodson, G. G. See Dodson, E. J., 281
Dorfman, B. H.
—; Van Zandt, L. L.: Vibration of DNA Polymer in Viscous Solvent, 2639
Drifford, M. See Tivant, P., 643

Easterly, R. A. See de Haen, C., 1133
Edgerton, M. E.
—; Handler, F. A.; Wu, C.-W.: Methods for the Analysis of the Kinetics of Cooperative Binding of Ligands to a Two-Site Lattice, 787
Edwards, G. S. See Swicord, M. L., 2513
Ehrat, M.
—; Luisi, P. L.: Synthesis and Spectroscopic Characterization of Insulin Derivatives Containing One or Two Poly(ethylene oxide) Chains at Specific Positions, 569
Elson, E. L. See Icenogle, R. D., 1919, 1949
Endo, T. See Miyazawa, T., 139

Falcioni, M. See De Santis, P., 2517
Farrell, H. M. See Byler, D. M., 2507
Fedorov, B. A. See Pavlov, M. Y., 1507
Felder, C. E. See Shanzer, A., 409
Fermandjian, S. See Sakarellos, C., 663
—; Sakarellos, C.; Piriou, F.; Juy, M.; Toma, F.; Thanh, H. L.; Lintner, K.; Khosla, M. C.; Smeby, R. R.; Bumpus, F. M.: The Key Role of Residue 5 in Angiotensin II, 227
Fernandez, A. C.
—; Phillies, G. D. J.: Temperature Dependence of the Diffusion Coefficient of Polystyrene Latex Spheres (Communication), 593
Ferry, J. D. See Janmey, P. A., 2017; Nestler, F. H. M., 1747
Fiat, D. See Varadarajan, K., 839
Filippi, B.
—; Biondi, L.; Filira, F.; Rocchi, R.; Bellini, C.; Sarto, G.: Synthesis and Biological Activity of (D)Ala^2, Leu^5-Enkephalins Containing Hydrophilic or Hydrophobic Moieties, 575
Filira, F. See Filippi, B., 575
Finkelstein, A. V. See Ptitsyn, O. B., 15
Finney, J. L. See Poole, P. L., 255
Fleury, G. See Lagant, P., 1267, 1285
Fontana, A.
—; Vita, C.; Chaiken, I. M.: Domain Characteristics of the Carboxyl-Terminal Fragment 206–316 of Thermolysin, 69
Forchioni, A. See Perly, B., 1853
Fornili, S. L. See Cordone, L., 1677
Forster, H. See Kricheldorf, H. R., 1357

Francis, A. K.
—; Iqbal, M.; Balaram, P.; Vijayan, M.: Crystal Structure of Boc-Ala-Aib-Ala-Aib-Aib-Methyl Ester, A Pentapeptide Fragment of the Channel-Forming Ionophore Suzukacillin, 1499
Frangou, S. A. See Welsh, E. J., 821
Frazier, J. See Roy, K. B., 2021
Freier, S. M.
—; Albergo, D. D.; Turner, D. H.: Solvent Effects on the Dynamics of $(dG\text{-}dC)_3$, 1107
Fresco, J. R. See Ornstein, R. L., 1979, 2001
Fuller, W. D. See Sigler, G. F., 2157

Gajnos, G. E. See Couchman, P. R., 2411
Gemeiner, M. See Moroder, L., 481
Genzel, L.
—; Kremer, F.; Poglitsch, A.; Bechtold, G.: Relaxation Processes on a Picosecond Time Scale in Hemoglobin and Poly(L-Alanine) Observed by Millimeter-Wave Spectroscopy, 1715
Gerher, C. See Pedone, C., 323
Gierasch, L. M. See Spatola, A. F., 147
—; Lacy, J. E.; Anderle, G.; LaLancette, R.; Mendelsohn, R.: Spectroscopic Studies of a Hydrophobic Peptide in Membranelike Environments, 381
Gilon, C. See Ribeiro, A., 247
Gioia, B.
—; Arlandini, E.; Perseo, G.; de Castiglione, R.: Field Desorption Mass Spectra of Dermorphin and Some Related Peptides, 487
Giordano, F. See Capasso, S., 327
Gladchenko, G. O. See Blagoi, Y. P., 1641
Glover, I.
—; Haneef, I.; Pitts, J.; Wood, S.; Moss, D.; Tickle, I.; Blundell, T. L.: Conformational Flexibility in a Small Globular Hormone: X-Ray Analysis of Avian Pancreatic Polypeptide at 0.98-Å Resolution, 293
Go, A. See Kopple, K. D., 153
Goldenberg, D. P.
—; Smith, D. H.; King, J.: Genetic and Biochemical Analysis of *in vivo* Protein Folding and Subunit Assembly, 125
Goodman, M. See Bode, K., 163; Pallai, P., 2523; Ribeiro, A., 1869; Sigler, G. F., 2157; Stern, P. S., 1885, 1901; Verlander, M., 531
Granot, J.
Effect of Finite Ionic Size on the Solution of the Poisson–Boltzmann Equation: Application to the Binding of Divalent Metal Ions to DNA, 1831
Grassian, V.
—; Brady, G. W.; Benham, C. J.: X-Ray Conformational Study of the DNA Duplex in Solution, 1523
Gray, L. J. See Hemenger, R. P., 911
Gregory, R. B.
Comparison of Analytically and Numerically Derived Hydrogen Exchange-Rate Distribution Functions, 895
Griffin, K. P. See Sutherland, J. C., 1445
Gromiec, A. See Delaye, M., 1203
Guarneri, M. See Antonini, E., 363
Guenin, R. See Schneider, C. H., 475

Haasnoot, C. A. G.
—; Hilbers, C. W.: Effective Water Resonance Suppression in 1D- and 2D-FT-^{1}H-NMR Spectroscopy of Biopolymers in Aqueous Solution (Communication), 1259
Hadley, M. E. See Hruby, V. J., 517
Hagerman, P. J.
Electrostatic Contribution to the Stiffness of DNA Molecules of Finite Length (Communication), 811
Hagler, A. T. See Madison, V., 27; Stern, P. S., 1885, 1901
Hamed, M. M.
—; Robinson, R. M.; Mattice, W. L.: Behavior of Amphipathic Helices on Analysis via Matrix Methods, with Application to Glucagon, Secretin, and Vasoactive Intestinal Peptide, 1003
Handler, F. A. See Edgerton, M. E., 787
Haneef, I. See Glover, I., 293
Hansen, A. M. F. See Baker, L. J., 1637
Hanss, M. See Marion, C., 2353
Harding, S. E.
—; Rowe, A. J.: Modeling Biological Macromolecules in Solution. II. The General Tri-axial Ellipsoid, 1813
Hayashi, K. See Miyazawa, T., 139
Heitz, F. See Spach, G., 403
Helbecque, N. See Perly, B., 1853
Hemenger, R. P.
—; Kaplan, T.; Gray, L. J.: Structure of Amphotericin B Aggregates Based on Calculations of Optical Spectra, 911
Higashijima, T.
—; Shimohigashi, Y.; Kato, T.; Izumiya, N.; Ueno, T.; Miyazawa, T.: Nuclear Magnetic Resonance Study of Ring Conformations of Cyclic Tetradepsipeptide AM-Toxins and Related Peptides, 1167
Hikichi, K. See Sasaki, N., 2539
Hilbers, C. W. See Haasnoot, C. A. G., 1259
Hingerty, B. See Broyde, S., 2423
Hirata, S. See Maeda, H., 2173

Holbrook, S. R.
—; Kim, S.-H.: Correlation Between Chemical Modification and Surface Accessibility in Yeast Phenylalanine Transfer RNA, 1145
Holmgren, A. See Reutimann, H., 107
Howard, F. B.
—; Miles, H. T.: Poly(2-Aminodeoxyadenylic Acid): Circular Dichroism and Thermal Stability of Its Complexes and Their Relevance to Phage DNA in Which A is Replaced by $2NH_2A$ (Communication), 597
Hruby, V. J.
—; Mosberg, H .I.; Sawyer, T. K.; Knittel, J. J.; Rockway, T. W.; Ormberg, J.; Darman, P.; Chan, W. Y.; Hadley, M. E.: Conformational and Dynamic Considerations in the Design of Peptide Hormone Analogs, 517
Hruska, F. E. See Blonski, W. J. P., 305
Hubbard, R. E. See Dodson, E. J., 281
Huber, R.
—; Bennett, W. S., Jr.: Functional Significance of Flexibility in Proteins, 261
Huchital, M. See Naider, F., 1401
Hummel, A. See Van Lith, D., 807
Hurwitz, E.
Specific and Nonspecific Macromolecule–Drug Conjugates for the Improvement of Cancer Chemotherapy, 557
Huvenne, J. P. See Lagant, P., 1285
Hvidt, S. See Nestler, F. H. M., 1747

Icenogle, R. D.
—; Elson, E. L.: Fluorescence Correlation Spectroscopy and Photobleaching Recovery of Multiple Binding Reactions. I. Theory and FCS Measurements, 1919
—; Elson, E. L.: Fluorescence Correlation Spectroscopy and Photobleaching Recovery of Multiple Binding Reactions. II. FPR and FCS Measurements at Low and High DNA Concentrations, 1949
Ikeda, K. See Kubota, S., 2219, 2237
Ikeda, S. See Maeda, H., 2173
Ikehara, M. See Cheng, D. M., 1427; Uesugi, S., 1189
Imanishi, Y. See Kimura, S., 2191, 2383
Imura, J. See Uesugi, S., 1189
Inagaki, F. See Miyazawa, T., 139
Iqbal, M. See Francis, A. K., 1499
Ishii, K. See Murakami, K., 2035
Ito, T. See Maeda, H., 2173
Ivanov, P. M. See Petkov, D. D., 1489
Izumiya, N. See Higashijima, T., 1167

Jackle, H. See Lorenzi, G. P., 157
Jacobson, K. A. See Verlander, M., 531
James, T. L. See Delbarre, A., 2497
Jamieson, A. M. See Shogren, R., 1657
Janmey, P. A.
—; Bale, M. D.; Ferry, J. D.: Polymerization of Fibrin: Analysis of Light-Scattering Data and Relation to a Peptide Release (Communication), 2017
Jardetzky, O. See Ribeiro, A., 247
Jernigan, R. L.
—; Miyazawa, S.: Equilibrium Folding–Unfolding Pathways of Model Proteins: Effect of Myoglobin–Heme Contacts, 79
Johnson, W. C., Jr. See Bowman, R. L., 1045; Causley, G. C., 945
Jung, G.
—; Bosch, R.; Katz, E.; Schmitt, H.; Voges, K.-P.; Winter, W.: Stabilizing Effects of 2-Methylalanine Residues on β-Turns and α-Helices, 241
Juy, M. See Fermandjian, S., 227

Kabsch, W.
—; Sander, C.: Dictionary of Protein Secondary Structure: Pattern Recognition of Hydrogen-Bonded and Geometrical Features, 2577
Kakiuchi, K.
—; Akutsu, H.: NMR Studies on Complex Formation of Poly(L-Lysine HBr) with Carbonate Ion in Aqueous Solution, 1027
Kako, I. See Maeda, H., 2173
Kalbacher, H. See Moroder, L., 481
Kan, L.-S. See Cheng, D. M., 1427; Uesugi, S., 1189
Kaneyasu, T. See Uesugi, S., 1189
Kaplan, T. See Hemenger, R. P., 911
Karasz, F. E. See Couchman, P. R., 2411
Katchalski-Katzir, E.
New Challenges Facing the Peptide and Polypeptide Chemist, 579
Kato, T. See Higashijima, T., 1167
Katz, E. See Jung, G., 241
Kellerman, M. See Bowman, R. L., 1045
Khait, I. See Muszkat, K. A., 387
Khan, S. A. See Shenbagamurthi, P., 815
Khosla, M. C. See Fermandjian, S., 227
Kim, P. S. See Kuwajima, K., 59
Kim, S.-H. See Holbrook, S. R., 1145
Kimura, S.
—; Imanishi, Y.: Complex Formation with Alkali and Alkaline Earth Metal Ions of Cyclic Octapeptides, Cyclo(Phe-Pro)$_4$, Cyclo(Leu-Pro)$_4$, and Cyclo(Lys(Z)-Pro)$_4$, 2383
—; Imanishi, Y.: Synthesis and Conformation of the Cyclic Octapeptides Cyclo(Phe-Pro)$_4$, Cyclo(Leu-Pro)$_4$, and Cyclo[Lys(Z)-Pro]$_4$, 2191

King, J. See Goldenberg, D. P., 125
Klein, B. See Maser, F., 233
Klein, B. J.
—; Pack, G. R.: Calculations of the Spatial Distribution of Charge Density in the Environment of DNA, 2331
Knittel, J. J. See Hruby, V. J., 517
Knox, J. R. See Lefelar, J. A., 1071
Kobayashi, Y. See Maeda, H., 2173
Kollman, P. A. See Tilton, R. F., Jr., 969
Kopple, K. D.
—; Zhu, P.-P.; Go, A.: *Cis–Trans* Peptide-Bond Equilibria in Cyclic Hexapeptides, 153
Kozlowski, S. See Marky, L. A., 1247
Kremer, F. See Genzel, L., 1715
Kricheldorf, H. R.
—; Mutter, M.; Maser, F.; Muller, D.; Forster, H.: Secondary Structure of Peptides. 4: ^{13}C-NMR CP/MAS Investigation of Solid Oligo- and Poly(L-alanines), 1357
Krimm, S.
Vibrational Analysis of Conformation in Peptides, Polypeptides, and Proteins, 217
Kubota, K.
—; Chu, B.: Laser Light Scattering of PBLG in DMF, 1461
Kubota, S.
—; Ikeda, K.; Yang, J. T.: Conformation of Sequential and Random Copolypeptides of Lysine and Alanine in Sodium Dodecyl Sulfate Solution, 2219
—; Ikeda, K.; Yang, J. T.: Conformation of Sequential Polypeptides of (Lys_i-Leu_j), (Lys_i-Ser_j), and (Lys-Gly) in Sodium Dodecyl Sulfate Solution, 2237
Kumar, A. See Levy, G. C., 2703
Kumar, S. See Atreyi, M., 747
Kure, N. See Murakami, K., 2035
Kuwajima, K.
—; Kim, P. S.; Baldwin, R. L.: Strategy for Trapping Intermediates in the Folding of Ribonuclease and for Using ^{1}H-NMR to Determine Their Structures, 59

Labrude, P. See Thirion, C., 2367
Lacy, J. E. See Gierasch, L. M., 381
Lagant, P.
—; Loucheux-Lefebvre, M. H.; Huvenne, J. P.; Vergoten, G.; Fleury, G.; Legrand, P.: Raman Spectra and Normal Vibrations of Dipeptides. II. Glycyl-L-Proline, 1285
—; Vergoten, G.; Loucheux-Lefebvre, M. H.; Fleury, G.: Raman Spectra and Normal Vibrations of Dipeptides. I. Glycylglycine, 1267
Lai, C.-H. See Maurer, P. H., 441
LaLancette, R. See Gierasch, L. M., 381
Lalitha, V. See Subramanian, E., 833
Larcher, D. See Thirion, C., 2367
Leach, S. J.
How Antigenic Are Antigenic Peptides?, 425
Lee, D. M.
—; Blackwell, J.; Litt, M. H.: Structure of a Cellulose II–Hydrazine Complex, 1383
Lefelar, J. A.
—; Knox, J. R.; Samulski, E. T.: Side-Chain Conformation in Poly(γ-phenethyl-L-glutamate), 1071
Legrand, P. See Lagant, P., 1285
Levy, G. C.
—; Craik, D. J.; Kumar, A.; London, R. E.: A Critical Evaluation of Models for Complex Molecular Dynamics: Application to NMR Studies of Double- and Single-Stranded DNA, 2703
Lifson, S. See Shanzer, A., 409
Lindsay, S. M.
—; Powell, J.: Possible Observation of a Defect Resonance in DNA, 2045
Lintner, K. See Fermandjian, S., 227; Sakarellos, C., 663
Litt, M. H. See Lee, D. M., 1383
Liu, I.-W. See Chen, C.-H., 1223
Loewen, P. C. See Blonski, W. J. P., 605
Lohman, T. M.
Model for the Irreversible Dissociation Kinetics of Cooperatively Bound Protein–Nucleic Acid Complexes, 1697
London, R. E. See Levy, G. C., 2703
Lorenzi, G. P. See Pedone, C., 323
—; Jackle, H.; Tomasic, L.; Pedone, C.: Influence of the Peptide Chain Length on the Stability of Double-Stranded β-Helical Species of D,L-Alternating Oligovalines in Chloroform Solution, 157
Loucheux-Lefebvre, M. H. See Lagant, P., 1267, 1285; Perly, B., 1853
Luisi, P. L. See Ehrat, M., 569; Reutimann, H., 107

MacColl, R. See Chen, C.-H., 1223
Madison, V.
—; Delaney, N. G.: Thermodynamics of Solvation for Methylproline Peptides, 869
—; Osguthorpe, D. J.; Dauber, P.; Hagler, A. T.: Monte Carlo Simulations of Peptide Solvation, 27
Maeda, H.
—; Ito, T.; Suzuki, H.; Hirata, S.; Kako, I.; Yoshino, M.; Ikeda, S.; Kobayashi, Y.: Preparation of Fractionated Low-Molecular-Weight Poly(*S*-carboxymethyl-L-cysteine) by Ion-Exchange Chromatography, 2173
Magdelenat, H. See Tivant, P., 643
Malathi, R.
—; Yathindra, N.: The Heminucleotide Scheme: An Effective Probe in the Analysis and Description of Ordered Polynucleotide Structures, 2061

Malcolm, B. R.
Electron Diffraction Studies of Poly(α-Aminoisobutyric Acid), 319
Mammi, S. See Michielin, L., 2325; Peggion, E., 2443
Manning, G. S.
Breathing and Bending Fluctuations in DNA Modeled by an Open-Base-Pair Kink Coupled to Axial Compression, 689
Maret, G.
—; Weill, G.: Magnetic Birefringence Study of the Electrostatic and Intrinsic Persistence Length of DNA, 2727
Marion, C.
—; Roux, B.; Hanss, M.: Orientational Interactions in Low-Concentration DNA Solutions, 2353
Marky, L. A.
—; Blumenfeld, K. S.; Kozlowski, S.; Breslauer, K. J.: Salt-Dependent Conformational Transitions in the Self-Complementary Deoxydodecanucleotide d(CGCAATTCGCG): Evidence for Hairpin Formation, 1247
Marraud, M. See Aubry, A., 341
Martin, S. R. See Bayley, P. M., 87
Maser, F. See Kricheldorf, H. R., 1357
—; Klein, B.; Mutter, M.; Bonora, G. M.; Toniolo, C.: Conformational Preferences of Side-Chain Protected Amino Acid Residues and Their Impact in Peptide Synthesis, 233
Matheson, R. R., Jr.
Coupling Between the Helix–Coil Transition and Nematic–Isotropic Transitions in Polypeptide Solutions, 43
Matsuoka, Y.
—; Nordén, B.: Effects of Ag^+ and Hg^{2+} on the Structure of DNA in Solution Studied by Flow Linear Dichroism (Communication), 601
—; Nordén, B.: Linear Dichroism Studies of Nucleic Acids. III. Reduced Dichroism Curves of DNA in Ethanol–Water and in Poly(vinyl alcohol) Films, 1731
Mattia, C. A. See Capasso, S., 327; Pedone, C., 323
Mattice, W. L. See Hamed, M. M., 1003
Maurer, P. H.
—; Babu, U. M.; Lai, C.-H.: Contribution of Synthetic Polymers of Amino Acids to Knowledge of Immune Response, 441
Mazzarella, L. See Capasso, S., 327
McCammon, J. A. See Morgan, J. D., 1579
Melmon, K. L. See Verlander, M., 531
Mendelsohn, R. See Gierasch, L. M., 381
Menegatti, E. See Antonini, E., 363
Menez, R. See Tivant, P., 643
Michielin, L.
—; Mammi, S.; Peggion, E.: Macromolecularization of a Tripeptide Analog of the Cu(II) Binding Site of Human Serum Albumin. I. Synthesis, Conformation, and Binding Properties of a Gly-Gly-His Derivative of Poly(L-Lysine), 2325
Miles, H. T. See Howard, F. B., 597; Roy, K. B., 2021
Mishra, A. K.
—; Prasad, K. P.; Ahluwalia, J. C.: Apparent Molal Volumes of Some Amino Acids and Peptides in Aqueous Urea Solutions, 2397
Miyazawa, S. See Jernigan, R. L., 79
Cooperative Ligand Binding on Multidimensional Lattices: Bethe Approximation, 2253
Miyazawa, T. See Higashijima, T., 1167
—; Inagaki, F.; Endo, T.; Hayashi, K.; Tamiya, N.: NMR Analysis of Structure and Function of Snake Neurotoxins, 139
Moore, D. S. See Williams, A. L., Jr., 755
Morelli, G. See Pedone, C., 323
Morgan, J. D.
—; McCammon, J. A.; Northrup, S. H.: Molecular Dynamics of Ferrocytochrome *c*: Time Dependence of the Atomic Displacements, 1579
Moroder, L. See Peggion, E., 2443
—; Nyfeler, R.; Gemeiner, M.; Kalbacher, H.; Wünsch, E.: Immunoassays of Peptide Hormones and Their Chemical Aspects, 481
Morosetti, S. See De Santis, P., 37, 2517
Morris, E. R. See Welsh, E. J., 821
Mosberg, H .I. See Hruby, V. J., 517
Moscarello, M. A. See Deber, C. M., 377
Moss, D. See Glover, I., 293
Mozes, E.
The T-Cell Receptor as Analyzed by Functional T-Cell Lines Specific to a Synthetic Polypeptide Antigen, 453
Muller, D. See Kricheldorf, H. R., 1357
Murakami, K.
—; Sano, T.; Kure, N.; Ishii, K.; Yasunaga, T.: Kinetic Studies of the Interaction of Methyl Orange with Poly(L-lysine) by Stopped-Flow with Circular Dichroism Detection, 2035
Muszkat, K. A.
—; Weinstein, S.; Khait, I.; Vered, M.: Photo-CIDNP Study of Interactions of Serine Proteinases with Their Protein Inhibitors, 387
Mutter, M. See Bode, K., 163; Kricheldorf, H. R., 1357; Maser, F., 233; Schmitt, J., 1849

Naider, F. See Shenbagamurthi, P., 815
—; Huchital, M.; Becker, J. M.: Mobility of Oligopeptides on Normal-Phase Silica: Effect of Positional Isomerism, 1401
Némethy, G.
Interactions Between Poly(Gly-Pro-Pro) Triple Helices: A Model for Molecular Packing in Collagen, 33
Nestler, F. H. M.
—; Hvidt, S.; Ferry, J. D.; Veis, A.: Flexibility of Collagen Determined from Dilute Solution Viscoelastic Measurements, 1747
Nomura, M. See Ueda, K., 2077
Nordén, B. See Matsuoka, Y., 601, 1731
Northrup, S. H. See Morgan, J. D., 1579
Nyfeler, R. See Moroder, L., 481

Ohogushi, M. See Wada, A., 93
Olson, W. K. See Taylor, E. R., 2667
Ormberg, J. See Hruby, V. J., 517
Ornstein, R. L.
—; Fresco, J. R.: Correlation of T_m and Sequence of DNA Duplexes with ΔH Computed by an Improved Empirical Potential Method, 1979
—; Fresco, J. R.: Correlation of T_m, Sequence, and ΔH of Complementary RNA Helices and Comparison with DNA Helices, 2001
Osguthorpe, D. J. See Madison, V., 27

Pack, G. R. See Klein, B. J., 2331
Pallai, P.
—; Struthers, S.; Goodman, M.; Rivier, J.; Vale, W.: Extended Retro-Inverso Analogs of Somatostatin, 2523
Palleschi, A. See De Santis, P., 37
Palumbo, M. See Peggion, E., 2443
Pavlov, M. Y.
—; Fedorov, B. A.: Improved Technique for Calculating X-Ray Scattering Intensity of Biopolymers in Solution: Evaluation of the Form, Volume, and Surface of a Particle, 1507
Pavone, V. See Benedetti, E., 305; Pedone, C., 323; Toniolo, C., 205, 1335
Pedone, C. See Benedetti, E., 305; Lorenzi, G. P., 157; Toniolo, C., 205, 1335
—; Toniolo, C.; Benedetti, E.; Di Blasio, B.; Mattia, C. A.; Morelli, G.; Pavone, V.; Lorenzi, G. P.; Gerher, C.: Structure and Conformation of Regularly Alternating L,D Linear Peptides, 323
Peggion, E. See Michielin, L., 2325
—; Mammi, S.; Palumbo, M.; Moroder, L.; Wünsch, E.: Interaction of Calcium Ions with Peptide Hormones of the Gastrin Family, 2443
Perly, B.
—; Helbecque, N.; Forchioni, A.; Loucheux-Lefebvre, M. H.: NMR Studies of a Free and Protected Tetrapeptide Glycyl-L-Prolylglycylglycine in β-Turn-Supporting Environment, 1853
Perseo, G. See Gioia, B., 487
Petkov, D. D.
—; Ivanov, P. M.; Stoineva, I. B.: Conformational Analysis of Acetyl-L-Phenylalanine *p*-Acetyl and *p*-Valeryl Anilides, 1489
Phillies, G. D. J. See Fernandez, A. C., 593
Piriou, F. See Fermandjian, S., 227; Sakarellos, C., 663
Pitts, J. See Glover, I., 293
Podo, F. See Strom, R., 391
Poglitsch, A. See Genzel, L., 1715
Poole, P. L.
—; Finney, J. L.: Sequential Hydration of a Dry Globular Protein, 255
Porschke, D.
—; Ronnenberg, J.: An Affinity Scale for the Interaction of Amino Acid Residues with Nucleic Acids, 2549
Post, C. B.
Excluded Volume of an Intermediate-Molecular-Weight DNA. A Monte Carlo Analysis, 1087
Powell, J. See Lindsay, S. M., 2045
Prasad, K. P. See Mishra, A. K., 2397
Privalov, P. L. See Crane-Robinson, C., 113
Prohofsky, E. W. See Putnam, B. F., 1759
Ptitsyn, O. B.
—; Finkelstein, A. V.: Theory of Protein Secondary Structure and Algorithm of Its Prediction, 15
Putnam, B. F.
—; Prohofsky, E. W.: Localized Vibrational Modes at a Double-Helix–Single-Strand Junction, 1759

Rajagopalan, M.
—; Brahmachari, S. K.; Sasisekharan, V.; Srivastava, R.: X-Ray Diffraction Studies on *Mycobacterium Smegmatis* DNA (Communication), 1633
Ranghino, G.
—; Clementi, E.; Romano, S.: Lysinium, Argininium, Glutamate, and Aspartate Ions in Water Solution, 1449
Rao, C. N. R. See Rao, C. P., 2091
Rao, C. P.
—; Balaram, P.; Rao, C. N. R.: Infrared Spectroscopic Study of C_7 Intramolecular Hydrogen Bonds in Peptides, 2091
Rao, M. V. R. See Atreyi, M., 747
Rao, P. B. See Baker, L. J., 1637
Rees, D. A. See Welsh, E. J., 821

Reutimann, H.
—; Luisi, P. L.; Holmgren, A.: Folding of Protein Fragments: Conformational and Biological Studies on Thioredoxin and Its Fragments, 107
Reynolds, C. D. See Dodson, E. J., 281
Ribeiro, A. See Bode, K., 163
—; Chorev, M.; Goodman, M.: Proton NMR Studies of Partially Modified Retro–Inverso Peptides, 1869
—; Jardetzky, O.; Gilon, C.; Teitelbaum, D.; Chorev, M.: ^{1}H-NMR Studies on Substance P Hexapeptide Analogs, 247
Richard, A. J.
Centrifugal Field Relaxation and Ionic Strength Effects on Calf Thymus DNA Gels, 935
Ricka, J.
—; Amsler, K.; Binkert, T.: Flexibility of a Labeled Polymer Chain: Time-Resolved Fluorescence Depolarization Measurements and Their Interpretation by a Hinged-Dumbbell Model, 1301
Rivier, J. See Pallai, P., 2523
Robinson, R. M. See Hamed, M. M., 1003
Rocchi, R. See Filippi, B., 575
Roche, R. S. See Corbett, R. J. T., 101
Rockway, T. W. See Hruby, V. J., 517
Rockwell, A. L. See Spatola, A. F., 147
Romano, S. See Ranghino, G., 1449
Ronnenberg, J. See Porschke, D., 2549
Rosenkranz, R. P. See Verlander, M., 531
Roux, B. See Marion, C., 2353
Rowe, A. J. See Harding, S. E., 1813
Roy, K. B.
—; Frazier, J.; Miles, H. T.: Interaction of Poly(X) with Poly(U): Alkali Metal Ion Specificity Suggests a Four-Stranded Helix, 2021
Ryan, C. L., Jr. See Couchman, P. R., 2411

Sadana, K. L. See Blonski, W. J. P., 605
Sadikot, H. See Davies, D. B., 1843
Sagripanti, J. L. See Swicord, M. L., 2513
Saito, Y. See Wada, A., 93
—; Wada, A.: Comparative Study of GuHCl Denaturation of Globular Proteins. I. Spectroscopic and Chromatographic Analysis of the Denaturation Curves of Ribonuclease A, Cytochrome c, and Pepsinogen, 2105
—; Wada, A.: Comparative Study of GuHCl Denaturation of Globular Proteins. II. A Phenomenological Classification of Denaturation Profiles of 17 Proteins, 2123
Sakarellos, C. See Fermandjian, S., 227
—; Lintner, K.; Piriou, F.; Fermandjian, S.: Conformation of the Central Sequence of Angiotensin II and Analogs, 663
Saltman, R. P. See Bode, K., 163
Samulski, E. T. See Lefelar, J. A., 1071
Sander, C. See Kabsch, W., 2577
Sano, T. See Murakami, K., 2035
Sarto, G. See Filippi, B., 575
Sasaki, N.
—; Shiwa, S.; Yagihara, S.; Hikichi, K.: X-Ray Diffraction Studies on the Structure of Hydrated Collagen, 2539
Sasisekharan, V. See Rajagopalan, M., 1633
Savino, M. See De Santis, P., 2517
Sawyer, T. K. See Hruby, V. J., 517
Scheiner, S.
Hydrogen Bonding of the Carbonyl Groups of Uridine Nucleosides, 731
Schellman, J. A.
—; Becktel, W. J.: The Optical Activity of Polypeptides, 171
Scheraga, H .A.
Recent Progress in the Theoretical Treatment of Protein Folding, 1
Schlessinger, J.
Lateral and Rotational Diffusion of EGF–Receptor Complex: Relationship to Receptor-Mediated Endocytosis, 347
Schmitt, H. See Jung, G., 241
Schmitt, J.
—; Mutter, M.: Relationship between Conformation and Physicochemical Properties of Polypeptides. II. GPC as a Tool for the Detection of Conformational Transitions of PEG-Bound Peptides (Communication), 1849
Schmitz, K. S.
Quantitative Relationship between the Surface Charge Density and Dynamic Charge of Linear Polyelectrolytes in the Low Charge-Density Limit (Communication), 2169
Schnaper, G. R. See Sidman, K. R., 547
Schneider, C. H.
—; Guenin, R.: Antigenic Reactivity: Molecular Delineation of Monohaptenic Anaphylactogens, 475
Schurr, J. M. See Wilcoxon, J., 849, 2273
Boundaries of the Universal K^3 Region and Plateau Region of the Dynamic Structure Factor for DNA, 2207
Schwope, A. D. See Sidman, K. R., 547
Sela, M.
From Synthetic Antigens to Synthetic Vaccines, 415
Shafer, R. H. See Berman, E., 2163; Delbarre, A., 2497
Shanzer, A.
—; Felder, C. E.; Lifson, S.: Design, Synthesis, and Conformation of Ion Carriers, 409
Shenbagamurthi, P.
—; Steinfield, A. S.; Khan, S. A.; Becker, J. M.; Naider, F.: Assignment of the Amide and Aromatic Protons of the CHA^2-

Dodecapeptide α-Factor from *S. Cerevisiae* (Communication), 815
Shimizu, T. See Ueno, K., 633
—; Tanaka, Y.; Tsuda, K.: ^{13}C- and ^{1}H-NMR Evidence for All-*Cis* Peptide Bonds in Cyclic Tetrapeptide *Cyclo*(L-Pro-Sar)$_2$, 617
Shimohigashi, Y. See Higashijima, T., 1167
Shiwa, S. See Sasaki, N., 2739
Shogren, R.
—; Jamieson, A. M.; Blackwell, J.; Cheng, P. W.; Dearborn, D. G.; Boat, T. F.: Solution Properties of Porcine Submaxillary Mucin, 1657
Shum, B. W.-K.
—; Crothers, D. M.: High-Resolution NMR Studies of A- and G-Containing Oligonucleotides, 919
Sidman, K. R.
—; Steber, W. D.; Schwope, A. D.; Schnaper, G. R.: Controlled Release of Macromolecules and Pharmaceuticals from Synthetic Polypeptides Based on Glutamic Acid, 547
Sigler, G. F.
—; Fuller, W. D.; Chaturvedi, N. C.; Goodman, M.; Verlander, M.: Formation of Oligopeptides during the Synthesis of 9-Fluorenylmethyloxycarbonyl Amino Acid Derivatives (Communication), 2157
Smeby, R. R. See Fermandjian, S., 227
Smith, D. H. See Goldenberg, D. P., 125
Sorokin, V. A. See Blagoi, Y. P., 1641
Spach, G.
—; Trudelle, Y.; Heitz, F.: Peptides as Channel-Making Ionophores: Conformational Aspects, 403
Spatola, A. F.
—; Gierasch, L. M.; Rockwell, A. L.: Conformational Comparison of Cyclic Peptide and Pseudopeptide Structures with Intramolecular Hydrogen Bonding, 147
Sperling, R. See Wachtel, E. J., 333
Srivastava, R. See Rajagopalan, M., 1633
Staskus, P. W. See Causley, G. C., 945
Steber, W. D. See Sidman, K. R., 547
Steinfield, A. S. See Shenbagamurthi, P., 815
Stern, P. S.
—; Chorev, M.; Goodman, M.; Hagler, A. T.: Computer Simulation of the Conformational Properties of Retro–Inverso Peptides. I, 1885
—; Chorev, M.; Goodman, M.; Hagler, A. T.: Computer Simulation of the Conformational Properties of Retro–Inverso Peptides. II, 1901
Stoineva, I. B. See Petkov, D. D., 1489
Strom, R. See Celada, F., 465
—; Podo, F.; Crifo, C.; Berthet, C.; Zulauf, M.; Zaccai, G.: Structural Aspects of the Interaction of Bee Venom Peptide Melittin with Phospholipids, 391
Struthers, S. See Pallai, P., 2523
Subhasini, S.
—; Sundaram, K.: Molecular Structure by the Constrained Damped Least-Squares (CDLS) Method, 1373
Subramanian, E.
—; Lalitha, V.: Crystal Structure of a Tripeptide, L-Alanyl-Glycyl-Glycine and Its Relevance to the Poly(glycine)-II Type of Conformation, 833
Sundaram, K. See Subhasini, S., 1373
Susi, H. See Byler, D. M., 2507
Sutherland, J. C.
—; Griffin, K. P.: Vacuum Ultraviolet Circular Dichroism of Poly(dI-dC)·Poly(dI-dC): No Evidence for a Left-Handed Double Helix (Communication), 1445
Suzuki, H. See Maeda, H., 2173
Swicord, M. L.
—; Edwards, G. S.; Sagripanti, J. L.; Davis, C. C.: Chain-Length-Dependent Microwave Absorption of DNA (Communication), 2513

Takatsuka, Y. See Cheng, D. M., 1427
Tamiya, N. See Miyazawa, T., 139
Tanaka, Y. See Shimizu, T., 617
Tanokura, M.
^{1}H-Nuclear Magnetic Resonance Study on Imidazole–Imidazole Interaction in L-Histidyl-L-Histidine and D-Histidyl-L-Histidine: Analysis Including Microscopic Dissociation Series, 2563
Taylor, E. R.
—; Olson, W. K.: Theoretical Studies of Nucleic Acid Interactions. I. Estimates of Conformational Mobility in Intercalated Chains, 2667
Teitelbaum, D. See Ribeiro, A., 247
Teller, D. C. See de Haen, C., 1133
Thanh, H. L. See Fermandjian, S., 227
Thirion, C.
—; Larcher, D.; Chaillot, B.; Labrude, P.; Vigneron, C.: Circular Dichroism Studies of Freeze-Drying-Induced Conformational Changes in Human Hemoglobin, 2367
Thomas, T. J.
—; Bloomfield, V. A.: Collapse of DNA Caused by Trivalent Cations: pH and Ionic Specificity Effects, 1097
Thompson, A. See Wallace, D. G., 1793
Tickle, I. See Glover, I., 293
Tilton, R. F., Jr.
—; Weiner, P. K.; Kollman, P. A.: An Analysis of the Sequence Dependence of the Structure and Energy of A- and B-DNA Models Using Molecular Mechanics, 969

Tinoco, I., Jr. See Chu, Y. G., 1235
Tivant, P.
—; Turq, P.; Drifford, M.; Magdelenat, H.; Menez, R.: Effect of Ionic Strength on the Diffusion Coefficient of Chondroitin Sulfate and Heparin Measured by Quasielastic Light Scattering, 643
Toma, F. See Fermandjian, S., 227
Tomasic, L. See Lorenzi, G. P., 157
Toniolo, C. See Benedetti, E., 305; Maser, F., 233
—; Bonora, G. M.; Benedetti, E.; Bavoso, A.; Di Blasio, B.; Pavone, V.; Pedone, C.: Peptaibol Antibiotics: Conformational Preferences of Synthetic Emerimicin Fragments, 1335
—; Maser, F.; Bonora, G. M.; Bavoso, A.; Benedetti, E.; Di Blasio, B.; Pavone, V.; Pedone, C.: Preferred Conformations of Peptides Containing α,α-Disubstituted α-Amino Acids, 205
Trudelle, Y. See Spach, G., 403
Ts'o, P. O. P. See Cheng, D. M., 1427; Uesugi, S., 1189
Tsuchiya, T.
New Plot Showing the Existence of Cooperativity, Anticooperativity, and an Arbitrary Value of the Neighbor-Exclusion Parameter in Systems of Ligand Binding to Linear Biopolymers, 1967
Tsuda, K. See Shimizu, T., 617
Turner, D. H. See Freier, S. M., 1107
Turq, P. See Tivant, P., 643

Ueda, K.
—; Nomura, M.; Yamaoka, K.: Reversing-Pulse Electric Birefringence of Poly(γ-Benzyl-L-Glutamate). I. Transient Behavior of Fractionated Samples in the Low Electric Field Region, 2077
Ueno, K.
—; Shimizu, T.: Crystal Structure and Conformation of a Cyclic Tetrapeptide *Cyclo*(L-Pro-Sar)$_2$ Containing All-*Cis* Peptide Units, 633
Ueno. T. See Higashijima, T., 1167
Uesugi, S. See Cheng, D. M., 1427
—; Kaneyasu, T.; Imura, J.; Ikehara, M.; Cheng, D. M.; Kan, L.-S.; Ts'o, P. O. P.: ^{1}H-NMR Studies on the Dinucleoside Monophosphates Containing 2′-Halogeno-2′-Deoxypurinenucleosides: Effects of 2′-Substitutes on Conformation, 1189

Vale, W. See Pallai, P., 2523
Valeev, V. A. See Blagoi, Y. P., 1641
Van Lith, D.
—; De Haas, M. P.; Warman, J. M.; Hummel, A.: Highly Mobile Charge Carriers in Hydrated DNA and Collagen Formed by Pulsed Ionization (Communication), 807
Van Zandt, L. L. See Dorfman, B. H., 2639
Varadarajan, K.
—; Fiat, D.: Effects of Composition and Polymerization Conditions on Crosslinked Polymer Supports Based on *N*-Acrylyl Pyrrolidine and *N*,*N*-Dimethyl Acrylamide for Peptide Synthesis, 839
Veis, A. See Nestler, F. H. M., 1747
Vered, M. See Muszkat, K. A., 387
Vergoten, G. See Lagant, P., 1267, 1285
Verlander, M. See Sigler, G. F., 2157
—; Jacobson, K. A.; Rosenkranz, R. P.; Melmon, K. L.; Goodman, M.: Some Novel Approaches to the Design and Synthesis of Peptide–Catecholamine Conjugates, 531
Vigneron, C. See Thirion, C., 2367
Vijayakumar, E. K. S.
—; Balaram, P.: Stereochemistry of α-Aminoisobutyric Acid Peptides in Solution: Helical Conformations of Protected Decapeptides with Repeating Aib-L-Ala and Aib-L-Val Sequences, 2133
Vijayan, M. See Francis, A. K., 1499
Vita, C. See Fontana, A., 69
Voges, K.-P. See Jung, G., 241

Wachtel, E. J.
—; Sperling, R.: X-Ray Diffraction Study of the Interaction of the Amino Terminal Half-Molecule of Histone H4 with Duplex DNA, 333
Wada, A. See Saito, Y., 2105, 2123
—; Saito, Y.; Ohogushi, M.: Multiphasic Conformation Transition of Globular Proteins Under Denaturating Perturbation, 93
Wallace, B. A.
Gramicidin A Adopts Distinctly Different Conformations in Membranes and in Organic Solvents, 397
Wallace, D. G.
—; Thompson, A.: Description of Collagen Fibril Formation by a Theory of Polymer Crystallization, 1793
Warman, J. M. See Van Lith, D., 807
Wartell, R. M. See Benight, A. S., 1409
Weill, G. See Maret, G., 2727
Weiner, P. K. See Tilton, R. F., Jr., 969
Weinstein, S. See Muszkat, K. A., 387
Welsh, E. J.
—; Frangou, S. A.; Morris, E. R.; Rees, D. A.; Chavin, S. I.: Tyrosine Optical Activity as a Probe of the Conformation and Interactions of Fibronectin, 821

Widom, J.
—; Baldwin, R. L.: Inhibition of Cation-Induced DNA Condensation by Intercalating Dyes, 1621
—; Baldwin, R. L.: Monomolecular Condensation of λ-DNA Induced by Cobalt Hexammine, 1595
Wilcoxon, J.
Validity of Stokes' Law for Polystyrene Latex Spheres (Communication), 1023
—; Schurr, J. M.: Dynamic Light-Scattering from Thin Rigid Rods: Anisotropy of Translational Diffusion of Tobacco Mosaic Virus, 849
—; Schurr, J. M.: Temperature Dependence of the Dynamic Light Scattering of Linear φ29 DNA: Implications for Spontaneous Opening of the Double-Helix, 2273
Williams, A. L., Jr.
—; Moore, D. S.: Circular Dichroism of Nucleic Acid Monomers. II. Derivation and Application to Polymers of a Consistent Set of Guanine and Cytosine Transition Parameters, 755
Winter, W. See Jung, G., 241
Wood, S. See Glover, I., 293
Woody, R. W.
A Simple Model for the Optical Properties of Chiral Amides, 189
Wu, C.-W. See Edgerton, M. E., 787
Wünsch, E. See Moroder, L., 481; Peggion, E., 2443
Peptide Factors as Pharmaceuticals: Criteria for Application, 493
Wüthrich, K.
Sequential Individual Resonance Assignments in the ^{1}H-NMR Spectra of Polypeptides and Proteins, 131

Yagihara, S. See Sasaki, N., 2539
Yamaoka, K. See Ueda, K., 2077
Yɛng, J. T. See Kubota, S., 2219, 2237
Yasunaga, T. See Murakami, K., 2035
Yathindra, N. See Malathi, R., 2061
Yoshino, M. See Maeda, H., 2173

Zaccai, G. See Strom, R., 391
Zagari, A. See Capasso, S., 327
Zhu, P.-P. See Kopple, K. D., 153
Zulauf, M. See Strom, R., 391

Subject Index

Research Communications and Errata are denoted by the letters C and E, respectively, following the page number

Ab initio study, of retro–inverso peptides, 1901
Absorbance, with simultaneous fluorescence, CD, 93
Absorption spectra, of amphotericin B, 911
—, vacuum uv, of poly(dI-dC)-poly(dI-dC), 1445(C)
Acetyl-L-Phe-*p*-acetyl anilides, conformation of, 1489
Acridines, fluorinated, as mono- and bifunctional DNA intercalators, 2497
N-acrylyl pyrrolidine, in polar SPPS supports, 839
Actinomycin D, nmr study of DNA complex, 2163(C)
Activation, mutant, by antibody binding, 465
Affinity chromatography, in neurophysin–neuropeptide binding study, 355
Aggregates, intrinsic CD effects on spectra of, 1571
L-Ala-Gly-Gly, as poly(Gly)-II model, 833
Alamethicin, conformation and pore formation, 241
L-Alanine, millimeter-wave spectroscopy of, 1715
Amide bond, thiomethylene ether replacement, 147
Amide chromophore, in diketopiperazine CD study, 1045
Amides, amino acid, differing affinities for DNA, 2549
—, chiral, model for, 189
—, nonplanar, model for, 189
Amino acids, charged, interaction with water, 1449
—, α,α-disubstituted, 205
—, molal volumes in aqueous urea, 2397
2-Aminofluorene, DNA modified with, 2423
Aminoisobutyric acid, crystal structure of pentapeptide containing, 1499
—, electron diffraction of polymer, 319
α-Aminoisobutyric acid, conformational effects, 205
—, conformational effects of, 241
—, conformation of decapeptides containing, 2133
—, conformation of peptides by ir, 2091
—, conformation of peptides containing, 1335
Amphipathic helices, analysis via matrix methods of, 1003
Amphotericin B, aggregates in aqueous solution, 911
AM-toxins, ^{1}H-nmr studies of, 1167
Anaphylactogens, structural requirements of, 475
Angiotensin II, conformation of model peptides, 663
—, role of residue 5, 227
Anisotropy, base-pair, evaluated for short-chain DNA, 1545
Exo-anomeric effect, in polysaccharide chains, 1769
Antamanide, Monte Carlo simulation of, 27
Antibodies, activation of mutants, 465
—, antitumor, 557
—, antiviral, 415
Antigenicity, molecular basis for, 415
—, molecular basis of, 425
Antigens, conformational, β-galactosidase, 465
—, monovalent, anaphylactogenicity in, 475
—, peptide, 425
—, synthetic, for vaccine design, 415
—, synthetic polypeptide, 441
—, synthetic polypeptides as, 453
Apomyoglobin, folding pathways of, 79
Arabinonucleotides, conformation by, 605
Arginine cation, Monte Carlo study of solvation, 1449
Aspartate ion, interaction potential with water, 1449
Assembly, of bacteriophage proteins, 125
—, microtubule, kinetics of, 87
Association, molecular, in porcine submaxillary mucin, 1657
Avian pancreatic polypeptide, conformational flexibility of, 293
—, x-ray analysis of, 293
Axial ratios, of macromolecules, 1813

Bacteriophage λ-DNA, condensation, studied by light scattering, 1595
Bacteriophage MS-2, antisera against peptides from, 415
Bacteriophage proteins, assembly and folding, 125

Bases, mismatched, effect on kinetics of helix formation, 1235
Binding, cooperative, model for kinetics of, 787
—, to one-dimensional lattice, 787
—, sequential, of ligands to substrate molecule, 1919, 1949
Binding constants, of Ca, Mn to DNA, 1641
—, for Ca^{2+} binding to gastrins, 2443
Binding isotherm, Bethe approximation for, 2253
Binding,ligand, new plot for characterizing, 1967
Biodegradable polymers, of poly(L-Glu), ethyl ester, 547
Biosynthesis, neurophysin and neuropeptide, 355
Birefringence, magnetic, DNA persistence-length study, 2727
Born-Oppenheimer approximation, and CD band structure, 1571
Bovine pancreatic trypsin inhibitor, calculations on, 1
—, interaction with serine proteinases, 387
—, β-trypsin binding kinetics, 363
Bovine seminal ribonuclease, refined x-ray structure of, 327
Branched molecules, hydrodynamics of, 2141
Breathing, enhanced, at double-helix–single-strand junction, 1759
Bridges, as elementary H-bonding patterns, 2577
α-Bungarotoxin, nmr and deuterium exchange of, 139
—, rigidity and toxicity of, 139

Ca(II), role in thermolysin unfolding, 101
Calcium ion, binding to gastrins, 2443
Calorimetry, of methylproline peptides, 869
Cancer chemotherapy. using targeting antibodies, 557
N-Carboxyanhydride, of Gly, Ala, Val, Tyr, 747
N-Carboxyanhydride polymerization, effect of conditions on α-helix/β-sheet ratio, 1357
—, of poly(L-alanines), 1357
Catecholamines, conjugates with peptides, 531
Cation binding, by cyclo(X-Pro)$_4$, 2383
CD, of amphotericin B, 911
—, of angiotensin analogs, 227
—, of angiotensin II model peptides, 663
—, of antigenic myoglobin peptides, 425
—, Born-Oppenheimer approximations and, 1571
—, of Cu(II)-binding derivatized polypeptide, 2325
—, of cyclo(X-Pro)$_4$ metal complexes, 2383
—, of d(CGCGAATTCGCG), 1247
—, detection of poly(L-lysine) dye-binding, 2035
—, of (dG-dC)$_3$ as a function of solvent, 1107
—, of diketopiperazines, 1045
—, of fibronectin, 821
—, of freeze-dried hemoglobin, 2367
—, of gramicidin–ion complexes, 397
—, of helical Aib peptides, 241
—, of histones, 113
—, of Lys,Ala copolypeptides in sodium dodecyl sulfate solution, 2219
—, of (Lys,Leu) and (Lys,Ser) polypeptides in sodium dodecyl sulfate, 2237
—, measured and calculated, of nucleic acid monomers, 755
—, of melittin–phospholipid interactions, 391
—, of microtubule protein, 87
—, of nonplanar amides, 189
—, of normal and deuterated phycocyanin, 1223
—, of PEG-bound peptides, 233
—, of peptide in micelles, 381
—, of poly(2-aminodeoxyadenylic acid) complexes, 597(C)
—, of poly(*S*-carboxymethyl-L-cysteine), 2173
—, of poly(ethylene oxide)-bound insulin, 569
—, of poly(X)-poly(U) complexes, 2021
—, prediction of, for polypeptides, 171
—, with simultaneous absorbance, fluorescence, 93
—, theory of electronic band structure of, 1571
—, of thermolysin fragment, 69
—, of thioredoxin fragments, 107
—, treatment of aggregate spectra, 1571
—, vacuum uv, of poly(dI-dC)-poly(dI-dC), 1445(C)
CD data, improved methods of analysis for, 945
CD studies, of Aib-containing peptides, 1335
—, of Ca^{2+} interaction with gastrins, 2443
—, of hyaluronate and oligosaccharides, 1319
Cellulose II, solvent interactions with, 1383
—, x-ray structure of hydrazine complex, 1383
Centrifugal field relaxation, effect on DNA gels, 935
Ceruletide, clinical application of, 507
Charge, mobile, in hydrated DNA, collagen, 807(C)
Charge density, counterion, spatial distribution around DNA, 2331
—, surface, dependence on dynamic charge, 2169(C)
Chemical modification, of yeast Phe-tRNA surface, 1145
Chondroitin sulfate, effect of ionic strength on diffusion, 643
Chromatin, x-ray diffraction study, 333
Chromatography, of oligopeptides by HPLC, 1401
—, of PEG-bound peptides, 1849(C)
Chromomycin A$_3$, nmr study of DNA complex, 2163(C)

Chymotrypsin, CIDNP in inhibitor complexes, 387
Chymotryptic degradation, of angiotensin II model peptides, 663
Circular DNA, polypeptide-induced supercoiling of, 2517(C)
Cis–trans equilibrium, in cyclic proline peptide, 153
Cis–trans isomerism, in cyclic proline peptides, 2191
—, in proline tetrapeptide, 1853
Citrate synthase, flexibility in, 261
Clones, T-cell, specific to synthetic polypeptide, 453
^{13}C-nmr, cross-polarization, magic angle spinning, 1357
—, of DNA–drug complexes, 2163(C)
—, of solid oligo- and poly(L-alanines), 1357
—, spin relaxation study of DNA dynamics, 2703
Cobalt hexammine, λ-DNA condensation induced by, 1595
Cobrotoxin, nmr and deuterium exchange of, 139
—, rigidity and toxicity of, 139
Collagen, flexibility studied by viscoelastic measurement, 1747
—, hydrated, charge carriers in, 807(C)
—, hydrated, x-ray diffraction studies, 2539
—, model of fibril formation, 1793
—, model peptides conformation of, 33
Complex, metal, rate and solvent effect for cyclo(X-Pro)$_4$, 2383
Computer simulation, of macromolecules as tri-axial ellipsoids, 1813
—, of retro–inverso peptides, 1885, 1901
Concentration dependence, of DNA rotational relaxation, 2353
Condensation, DNA, effects of intercalators on, 1621
—, DNA, studied by light scattering, 1595
Conductivity, radiation-induced, in DNA and collagen, 807(C)
Conformation, A- and B-DNA, studied by molecular mechanics, 969
—, of acetyl-L-Phe *p*-acetyl anilides, 1489
—, of Aib-containing peptides, 2133
—, of Aib-containing peptides by ir, 2091
—, of alternating L,D peptides, 323
—, of angiotensin II model peptides, 663
—, of bound vs free insulin, 281
—, C_7, studied by ir, 2091
—, calculated, of macrocyclic lactones, 409
—, of Cu(II)-binding derivatized polypeptide, 2325
—, of cyclic octapeptides, 2191
—, of cyclic proline peptide, 153
—, cyclic pseudopeptide, 147
—, of cyclic tetradepsipeptide AM-toxins, 1167
—, of diastereomeric oligoprolines, 305
—, DNA, analyzed using heminucleotide scheme, 2061
—, of DNA-2-aminofluorene adducts, 2423
—, of DNA in solution, 1523
—, of dry versus hydrated lysozyme, 1637(C)
—, dynamic, importance in polypeptides, 579
—, effect of α,α-disubstituted residues, 205
—, effect on HPLC mobility of oligopeptides, 1401
—, and fluorescence in Trp peptides, 2459
—, of free versus protected proline tetrapeptide, 1853
—, of gramicidin, 397
—, of halogenated dinucleosides by nmr, 1189
—, of hemoglobin in mixed solvent, 1677
—, of intercalated DNA, 2367
—, of β-lactoglobulin, 2507(C)
—, of Lys, Ala copolypeptides in sodium dodecyl sulfate solution, 2219
—, of (Lys,Leu) and (Lys,Ser) polypeptides in sodium dodecyl sulfate, 2237
—, of microtubule protein, 87
—, of oligo- and polyribonucleotides, 1843(C)
—, of oligopeptide ionophores, 403
—, peptide analog design and, 517
—, of peptide in micelles and vesicles, 381
—, of poly(aminoisobutyric acid), 319
—, of poly(glycine)-II-like structures, 833
—, of poly(L-Lys)–carbonate complex, 1027
—, of *cyclo*(L-Pro-Sar), 633
—, of *cyclo*(L-Pro-Sar) by nmr, 617
—, protein, classification of the elements of, 2577
—, of self-complementary DNA, 1247
—, of substance P analogs, 247
—, by vibrational analysis, 217
Conformational analysis, of PEG-bound peptides, 233
Conformational calculations, on polysaccharide chains, 1769
Conformational energy calculations, 15
—, on 2-aminofluorenyl DNA, 2423
—, on BPTI, 1
—, of collagen models, 33
—, by empirical force-field method, 1489
—, on tryptophan-containing peptides, 2459
Conformational flexibility, of avian pancreatic polypeptide, 293
Conformational properties, of retro–inverso peptides, 1885, 1901
Conformational stability, of solvated proteins, 49
Conformational transition, in hemoglobin on freeze-drying, 2367
—, and properties of PEG-bound peptides, 1849(C)
Conformational transitions, related to heat-capacity increments, 2411

Conformation nucleotide, as a function of 2′ substituent, 605
Constrained damped least-squares method, applied to enniatin B–K^+ x-ray data, 1373
Cooperative binding, to one-dimensional lattice, 787
—, of proteins to DNA, 1697
Cooperativity, anti- and non-, new plot distinguishing, 1967
—, enhanced, in helix–coil transition, 43
Copolymerization, NCA, kinetics of, 747
Cosolvent, organic, effect on DNA structure, 1731
—, organic, effect on hemoglobin O_2 release, 1677
Cotton-Mouton constant, measured for DNA, 2727
Cross-reactivity, and antigen structure, 425
Crystallin proteins, diffusion of, 1203
Crystal structure, of L-Ala-Gly-Gly as poly(Gly)-II model, 833
—, of cellulose II–hydrazine complex, 1383
—, of *cyclo*(L-Pro-Sar), 633
—, protein, as a data base for structural classification, 2577
—, of suzukacillin pentapeptide, 1499
Cu(II), bound by derivatized polypeptide, 2325
Cyclic hexapeptides, 153
Cyclic octapeptides, synthesis and conformation of, 2191
Cyclic pseudopeptide, 147
Cyclic tetrapeptides, with all-*cis* peptide bonds, 617, 633
—, conformational studies by nmr, 1167
Cyclo(L-alanyl-L-alanine), CD study of, 1045
Cyclo(L-alanyl-glycine), CD study of, 1045
Cyclo(-L-Amp-L-Ala-L-Ala-L-Hmb-), conformational studies by nmr, 1167
Cyclohexylalanine, in α-factor analog, 815(C)
Cyclo(L-prolyl-L-proline), CD study of, 1045
Cyclo(L-Pro-Sar), conformation by, 617
—, x-ray diffraction of studies, 633
Cyclo(-L-Tyr(OCH)-Dha-L-Ala-L-Hmb-), conformational studies by nmr, 1167
Cyclo(X-Pro)$_4$, X-Phe, Leu, of Lys(Z), conformation of metal complex, 2383
Cystine linkages, conformation in β-lactoglobulin, 2507(C)
Cytochrome c, GuHCl denaturation profile of, 2105
Cytosine, empirical parameters, 755

Defect, DNA, resonance possibly observed in light scattering, 2045
Degenerate ground-state approximation, for optical spectra, 911
Denaturation, multistep transitions in, 93
—, protein, spectroscopic and chromatographic analyses, 2105, 2123
—, urea and heat, of normal and deuterated proteins, 1223
Denaturation profiles, protein, detection of fine structure of, 2105
—, protein, structural classification of multiphasic, 2123
2-Deoxyribonucleotides, conformation by nmr, 605
Dermorphins, field desorption mass spectra of, 487
Deuterated amino acids, for α-factor nmr assignments, 815(C)
Deuterium exchange, folding intermediates trapped by, 59
Deuterium isotope effects, on protein stability, 1223
1,1-*Gem*-diaminoalkyl residue, 2523
—, *ab initio* calculations on, 1901
—, nmr characteristics of, 1869
—, rigid and flexible geometry calculations, 1885
Diastereomeric oligoprolines, x-ray analysis of, 305
Diastereomers, $(His)_2$, imidazole–imidazole interactions in, 2563
Differential scanning calorimetry, of normal and deuterated phycocyanins, 1223
—, of self-complementary DNA, 1247
Diffusion, translational, tobacco mosaic virus anisotropy, 849
Diffusion coefficient, of crystallin proteins, 1203
Diffusion coefficients, of chondroitin sulfate, 643
—, of heparin, 643
—, of proteins in poly(L-Glu), ethyl ester copolymers, 547
—, temperature dependence of, 593(C)
Diketopiperazines, CD study of, 1045
Dimer, covalent in bovine seminal ribonuclease, 327
N,*N*-dimethylacrylamide, in polar SPPS supports, 839
Dinucleosides, 2-halogenated, conformation by nmr, 1189
Dipeptides, Raman study of vibrations of, 1267, 1285
Diphtheria toxin, synthetic vaccine against, 415
Distance constraints, protein folding calculations using, 1
Distance plots, of nucleic acids, 2061
Disulfide bonds, stability of, 49
DNA, A- and B-forms, sequence-dependent stability of, 969
—, A- and B-forms, studied by molecular mechanics, 969
—, 2-aminofluorene-modified, conformation of, 2423
—, bending motions of, 689

—, binding of amino acids amides to, 2549
—, breathing fluctuations of, 689
—, double-helix–single-strand junction, 1759
—, dynamic light-scattering study of, 2273
—, dynamics of double- and single-strand, 2703
—, dynamic structure factor for, 2207
—, effect of Ca, Mn on melting, 1641
—, electrostatic contribution to stiffness, 811(C)
—, ethidium bromide binding studied by FCS/FPR, 1919, 1949
—, ^{19}F-nmr of bis-intercalation, 2497
—, gel phase, centrifugation, salt effects on, 935
—, histone interactions, 333
—, hydrated, charge carriers in, 807(C)
—, intermediate-molecular-weight, Monte Carlo analysis of excluded volume, 1087
—, LD studies of, 1731
—, length dependence of microwave absorption, 2513(C)
—, light-scattering study, 2045
—, magnetic birefringence study, 2727
—, mobility of intercalated chains, 2667
—, *Mycobacterium smegmatis*, x-ray diffraction studies, 1633(C)
—, nmr study of drug complexes, 2163(C)
—, orientation in dilute solution, 2353
—, persistence length of, 689
—, possible defect resonance observed, 2045
—, rigidity toward bending and twisting, 2273
—, salt dependence of secondary structure, 879
—, secondary structure by ^{31}P-nmr, 879
—, self-complementary, effect of salt on conformation of, 1247
—, self-complementary, evidence for hairpin formation in, 1247
—, sequence dependence of secondary structure, 879
—, short-chain, light scattering from, 1545
—, spatial distribution of charge around, 2331
—, structural effect of Ag^+ and Hg^{2+}, 601(C)
—, structure in ethanol–water and PVA films, 1731
—, vibration of, 2639
—, in viscous solvent, 2639
—, x-ray study in solution, 1523
DNA binding protein, kinetics of cooperative binding, 787
DNA condensation, effect of pH and counterion, 1097
—, effects of intercalators on, 1621
—, light-scattering study of, 1097
—, studied by light scattering, 1595
DNA denaturation, calculated, effect of base-pair changes on, 1409
DNA helices (A, B, C, Z), grooves analyzed using heminucleotide scheme, 2061
DNA helix, effect of mismatched bases on, 1235
DNA melting, ΔH computed by improved method, 1979
—, correlation of T_m, sequence, and ΔH, 1979
—, effect of amino acid amides on, 2549
DNA–metal binding, effect of ion size on, 1831
—, Poisson-Boltzmann equation applied to, 1831
DNA persistence length, related to Cotton-Mouton constant, 2727
DNA–protein complexes, cooperative binding, 1697
—, dissociation kinetics model, 1697
DNA supercoiling, induced by synthetic polypeptide, 2517(C)
Domains, antigenic in myoglobins, 425
—, protein motion of, 261
—, structural, in thermolysin, 69
Drug–antibody conjugates, 557
Drug delivery systems, based on poly(L-Glu), ethyl ester copolymers, 547
—, using targeting antibodies, 557
Drugs, functionalized, 531
—, peptides as, 507
Dynamic charge, related to surface charge density, 2169(C)
Dynamic light scattering, of DNA, 2207
—, of polystyrne latex spheres, 1023(C)
—, temperature dependence for DNA, 2273
—, theory for thin, rigid rods, 849
—, by tobacco mosaic virus, 849
Dynamics, conformational, importance in polypeptides, 579
—, of double- and single-stranded DNA, 2703
—, molecular, collective motions in protein, 1579
—, molecular, of ferrocytochrome *c*, 1579
—, of poly(γ-benzyl-L-glutamate), 1461
Dynamic structure factor, for DNA, 2207

Elastin hexapeptide, 163
Electric birefringence, axial ratios of macromolecules from, 1813
—, of dilute DNA solutions, 2353
—, reversing-pulse field, of polydisperse poly(γ-benzyl-L-glutamate), 2077
Electron diffraction, of poly(aminoisobutyric acid), 319
Eledoisin, clinical application of, 507
Ellipsoids, tri-axial, as models of macromolecules, 1813
Emerimicin fragments, synthesis, characterization and conformation, 1335
Empirical potential function, for enthalpy of DNA melting, 1979
—, for enthalpy of RNA melting, 2001
End effects, governing DNA rigidity, 811(C)
Endocytosis, of EGF–receptor clusters, 347

Energy minimization, 1
—, of poly(γ-phenethyl-L-glutamate), 1071
Enkephalins, modified, hydrophobic and hydrophilic, 575
Enniatin B, K^+ complex, structure by constrained damped least-squares method, 1373
Enthalpy, calculated for DNA melting, 1979
—, calculated for RNA melting, 2001
Epidermal growth factor, receptor complex mobility, 347
Erabutoxin, nmr and deuterium exchange of, 139
—, rigidity and toxicity of, 139
Ethidium bromide, binding to DNA at high and low concentrations, 1949
—, DNA binding studied by FCS/FPR, 1919
Ethylene glycol, effect on hemoglobin oxygen affinity, 119
Excitons, interacting, in polypeptides, 171
Exciton theory, for proteins, 1045
Excluded volume, of DNA of intermediate molecular weight, 1087
—, evaluated for biopolymers in solution, 1507

α-Factor of *S. cerevisiae*, nmr assignments, 815(C)
Ferrocytochrome *c*, molecular dynamics of, 1579
Fibril, collagen, theoretical model of formation, 1793
Fibrin, polymerization studied by light scattering, 2017(C)
Fibronectin, CD studies, 821
—, interaction with heparin, 821
Field desorption mass spectra, of dermorphins, 487
Flexibility, of collagen in dilute solution, 1747
—, function in proteins, 261
—, of intercalated DNA, 2667
—, polymer, studied by time-resolved fluorescence depolarization, 1301
—, of polysaccharide chains, 1769
9-Fluorenylmethyloxycarbonyl amino acids, improved synthesis of, 2157(C)
—, oligopeptide impurities in, 2157(C)
9-Fluorenylmethylsuccinimidyl carbonate, preferred for synthesis of Fmoc-amino acids, 2157(C)
Fluorescence, and conformation in Trp peptides, 2459
—, with simultaneous absorbance, CD, 93
—, of thioredoxin fragments, 107
Fluorescence correlation spectroscopy, measurements at high and low concentration, 1949
—, theory for multiple ligand binding, 1919
Fluorescence depolarization, time-resolved, 1301
Fluorescence immunoassay, of peptide hormones, 481
Fluorescence photobleaching recovery, measurements at high and low concentration, 1949
—, theory for multiple ligand binding, 1919
2′-Fluoro-2′-deoxyadenosine dinucleotides, multinuclear nmr studies on, 1427
Folding, of bacteriophage proteins, 125
—, nucleic acid, analyzed using heminucleotide scheme, 2061
—, protein, pathways in, 37
Folding pathway, of myoglobin, 79
—, ribonuclease, 59
Fourier-transform nmr, suppression of H_2O signal, 1259(C)
Freeze-drying, CD of hemoglobin changes on, 2367
Friction coefficient, of assemblies of spheres, 1133

β-Galactosidase, mutant, activation by antibody, 465
—, mutant, conformational antigenic determinants, 465
Gastrin, coupling to polymers and proteins, 481
—, maleoyl-β-alanyl, conjugation to tracers, 481
Gastrins, CD study of Ca^{2+} bonding, 2443
Gating mechanism, in alamethicin pores, 241
Gauche effect, in polysaccharide chains, 1769
Gels, DNA, centrifugation, salt effects on, 935
Globule–coil model, 79
Glucagon, calculated effect of charged lipids on helicity, 1003
Glutamate ion, interaction potential with water, 1449
Glycerol, effect on hemoglobin oxygen affinity, 119
Glycoproteins, mucous, hydrodynamics of, 2141
Glycosaminoglycans, CD studies of, 1319
Glycylglycine, Raman study of vibrations of, 1267
Glycyl-L-proline, Raman study of vibrations of, 1285
Gramicidin A, CD conformation study, 397
—, cocrystallization with lipids, 397
Graphics, perspective, of polysaccharide chains, 1769
Grooves, DNA, accumulation of charge in, 2331
—, in nucleic acid helices, 2061
Guanine, empirical parameters, 755
Guest–host sequences, 163

Halogenation, 2′-position, effect on conformation of dinucleosides, 1189

Heat capacity, increments related to conformational change, 2411
Helical character, of avian pancreatic polypeptide, 293
$^{3}10$-Helical pentapeptide, head-to-tail arrangement of helices, 1499
Helical preferences, of isolated *gem*-diaminoalkyl and malonyl structures, 1885, 1901
Helix, $^{3}10$, adopted by Boc-(Aib-X)$_5$-Ome, 2133
—, $^{3}10$- and α-, formed by Aib-containing peptides, 1335
—, double, spontaneous opening of, 2273
—, four-stranded, proposed for poly(X)·poly(U), 2021
—, left-handed, evidence against, for poly(dI-dC) duplex, 1445(C)
—, left-handed, in L-Ala-Gly-Gly, 833
—, RNA, compared with DNA helix, 2001
$^{3}10$-Helix, α,α-disubstituted residues in, 205
—, in poly(aminoisobutyric acid), 319
α-Helix, in Aib-containing peptides, 241
—, α,α-disubstituted residues in, 205
—, nonplanar amides in, 189
—, in poly(γ-phenethyl-L-glutamate), 1071
β-Helix, model for peptide ionophores, 403
—, D,L-oligovaline, 157
Helix–coil parameters, concentration dependence of, 43
Helix–coil theory, for short DNA, 1409
Helix–coil transition, coupling to nematic-isotropic phase transition, 43
—, of (dG-dC)$_3$ as a function of solvent, 1107
—, DNA, effect of amino acid amides, 2549
—, DNA, effect of Ca, Mn on, 1641
—, in glucagon and secretin, 1003
—, related to heat-capacity increments, 2411
Helix formation kinetics, DNA, effect of mismatched bases on, 1235
α-Helix/α-sheet ratio, of oligo- and poly(L-alanines) by ^{13}C-nmr, 1357
Heme, effect on myoglobin folding, 79
Heminucleotide repeat concept, 2061
Hemoglobin, CD study of changes upon freeze-drying, 2367
—, kinetics of O_2 release in mixed solvent, 1677
—, mechanism of oxidation protection, 2367
—, millimeter-wave spectroscopy of, 1715
—, oxygen affinity, effect of organic cosolvents on, 119
—, oxygen affinity, R and T forms, 119
Heparin, effect of ionic strength on diffusion, 643
—, interaction with fibronectin, 821
Histidyl–histidines, interactions between imidazoles of, 2563
Histone, DNA interactions, 333
—, fiber x-ray diffraction of, 333
Histones, CD of, 113
—, microcalorimetry of, 113
—, nmr of, 113
History, of peptide chemisry, 579
H-nmr, of protein folding intermediates, 59
Homo-oligopeptides, 163
Host–guest peptides, 233
Hyaluronate, CD studies of, 1319
—, limiting viscosity of, 589(C)
Hyaluronate–proteoglycan complex, (1:2), strength versus hyaluronate chain length, 2501(C)
Hydration, effect on charge migration in DNA, collagen, 807(C)
—, effect on collagen structure at O°C, 2539
—, effect on scattering intensity, 1507
—, effects on lysozyme conformation, 1637(C)
—, of lysozyme, 255
—, of uridine nucleosides, 731
Hydrazine, x-ray structure of cellulose II complex, 1383
Hydrodynamic interactions, of spheres, 1133
Hydrodynamics, of mucous glycoproteins, 2141
Hydrogen bonding, classification of patterns of, 2577
—, in hydrated peptides, 27
—, in protein folding intermediates, 59
—, in serine-containing peptides, 341
—, of uracil carbonyls, 731
Hydrogen bonds, C_7, ir study of, 2091
—, cyclic pseudopeptide, 147
—, role in solvated polypeptides, 49
—, stretching at double-helix–single-strand junction, 1759
—, stretching observed in far-ir, 1715
Hydrogen exchange, in redissolved lysozyme, 1637(C)
Hydrogen-exchange kinetics, lysozyme, analysis by numerical Laplace inversion, 895
Hydrophilic enkephalin analogs, 575
Hydrophobic effects, in amino acid–nucleotide interactions, 2549
Hydrophobic enkephalin analogs, 575
Hydrophobic interactions, effect of alcohols on, 1677
Hydrophobic template, 15

Idiotypes, shared, between B- and T-cells, 453
Imidazole, histidine, intramolecular interactions in (His)$_2$ diastereomers, 2563
Imidazole pK_a, effect of adjacent imidazole on, 2563
Immune response, mouse, to synthetic polypeptides, 441
Immunoassays, of peptide hormones, 481
Immunochemistry, of thermolysin and fragment, 69

Immunoglobulins, flexibility in, 261
Inhibitors, proteinase, 387
Insulin, conformational change on binding, 281
—, human, macromolecularization of Cu(II) binding site, 2325
—, poly(ethylene oxide)-bound, CD, uv studies of, 569
—, x-ray analysis of, 281
Interaction potential, quantum mechanical, of charged amino acids with water, 1449
Interactions, short-, medium-, and long-range, 1, 15
Intercalated chains, conformational mobility of, 2667
Intercalating dyes, reversal of DNA condensation by, 1621
Intercalation, bis-, ^{19}F-nmr study of, 2497
Intercalators, effect on x-ray diffraction of dissolved DNA, 1523
—, possible binding geometries of, 2667
Intermediates, in β-trypsin-BPTI binding, 363
Internalization, of EGF–receptor clusters, 347
Ion binding, to polynucleotides, 2549
Ion-exchange chromatography, of oligo(*S*-carboxymethyl-L-cysteine), 2173
Ionic strength, effect on DNA gels, 935
Ionization, pulsed, of hydrated DNA and collagen, 807(C)
Ionophore, cyclo(X-Pro)$_4$, 2383
Ionophore fragment, x-ray diffraction studies, 1499
Ionophores, design and synthesis of, 409
—, oligopeptide, 403
Ir spectroscopy, of acetyl-L-Phe *p*-acetyl anilides, 1 '89
—, of diastereomeric oligoprolines, 305
—, direct difference, of lysozyme hydration, 255
—, far, hydrogen-bond stretching observed by, 1715
—, of peptide C_7 hydrogen bonds, 2091
—, of peptides, polypeptides, and proteins, 217
—, of serine-containing peptides, 341
—, studies of angiotensin II model peptides, 663
—, studies of peptide in vesicles, 381
—, studies of poly(X)-poly(U) complexes, 2021
Ising model, applied to protein folding, 15
Isomerism, positional, effect on HPLC mobility of oligopeptides, 1401
Isotopic enrichment, ^{13}C and ^{15}N, 663
Isovaline, 205

Kinetics, of binding to a two-site lattice, 787
—, of DNA helix formation, 1235
—, of dye-binding of poly(L-lysine), 2035
—, of hemoglobin O_2 release, 1677
—, model for DNA–protein dissociation, 1697
—, of NCA copolymerization, 747
—, of thermolysin unfolding, 101
—, of β-trypsin-BPTI binding, 363
Kratky-Porod chains, light scattering from optically anisotropic, 1545

β-Lactoglobulin, laser-Raman studies of, 2507(C)
—, sulfhydryl, disulfide groups in, 2507(C)
Lactones, cyclic, as ionophores, 409
—, *roto* and *ref*, conformation of, 409
Laplace inversion, numerical, of hydrogen-exchange kinetics data, 895
Laser light scattering, of poly(γ-benzyl-L-glutamate), 1461
Laser-Raman studies, of β-lactoglobulin cystines and cysteines, 2507(C)
Lattice, multidimensional, ligand binding on, 2253
LD, of DNA, 1731
—, of DNA–Ag^+, and DNA–Hg^{2+}, 601(C)
Least-squares method, mathematical constraints applied to, 1373
Ligand binding, to multidimensional lattice, 2253
Light scattering, observation of possible DNA defect resonance, 2045
—, from optically anisotropic wormlike chains, 1545
—, study, laser, of poly(γ-benzyl-L-glutamate), 1461
—, study of crystallin proteins, 1203
—, study of DNA condensation, 1595
—, study of DNA counterion condensation, 1097
—, study of fibrin polymerization, 2017(C)
—, study of porcine submaxillary mucin, 1657
—, treatment of concentrated solutions, 1203
Light-scattering spectra, temperature dependence of, 593(C)
Liquid chromatography, high-performance of, methionine/glycine co-oligomers, 1401
—, high-performance of, γ-methylglutamate/glycine co-oligomers, 1401
—, high-pressure, comparison of protein denaturation profiles, 2123
—, high-pressure, of Fmoc amino acids and peptides, 2157(C)
—, high-pressure, of peptide–catecholamine conjugates, 531
—, high-pressure, study of protein denaturation profiles, 2105
Liquid-phase method, 163
Liquid-phase peptide synthesis, 233
Lyophilization, CD of hemoglobin changes on, 2367
Lysine cation, interaction potential with water, 1449

Lysozyme, effect of glycerol, TCE on hydrogen-exchange kinetics, 895
—, effects of water on conformation, 1637(C)
—, hydration of, 255
Lysyl peptides, antigenicity of, 425

Macromolecularization, of Cu(II)-binding tripeptide, 2325
Macromolecules, modeled as tri-axial ellipsoids, 1813
Magnetic birefringence, DNA persistence-length study, 2727
Maleoyl-β-alanine, as a hormone–carrier link, 481
Malonyl residue, *ab initio* calculations on, 1901
—, nmr characteristics of, 1869
—, rigid and flexible geometry calculations, 1885
Mass loading, 2639
Mass spectra, field desorption of dermorphins, 487
α-Melanotropins, superactive, long-acting, and cyclic, 517
Melittin, ^{1}H-nmr and neutron diffraction studies, 391
—, interactions with phospholipids, 391
Melting, of d(CGCGAATTCGCG) in hairpin conformation, 1247
—, of $(dG\text{-}dC)_3$ as a function of solvent, 1107
—, DNA, ΔH comuted by improved method, 1979
—, DNA, correlation of T_m, sequence, and ΔH, 1979
—, DNA, effect of amino acid amides on, 2549
—, DNA, effect of Ca, Mn on, 1641
—, DNA. vibrational analysis, 1759
—, effect of metals on poly(X)-poly(U), 2021
—, nucleotide, nmr study of, 919
—, of poly(2-aminodeoxyadenylic acid) complexes, 597(C)
—, RNA, ΔH computed by improved method, 2001
—, RNA, correlation of T_m, sequence, and ΔH, 2001
—, theory for short DNA, 1409
Membranelike environments, hydrophobic peptide in, 381
Mercury(II) ion, LD of DNA complex with, 601(C)
Metal ions, effect on T_m of poly(X)-poly(U), 2021
—, modes of binding to DNA, 1831
Methidium-spermine, DNA condensation induced by, 1621
Methyl orange, kinetics of binding to poly(L-lysine), 2035
Micelles, nmr, CD studies of peptide in, 381
Microheterogeneity, of myelin basic protein, 377
Microtubule protein, assembly and conformation, 87
Microwave absorption studies, of DNA of varying length, 2513(C)
Millimeter-wave spectroscopy, oversized cavity technique, 1715
—, for picosecond relaxation studies, 1715
Mobility, conformational, of intercalated DNA, 2667
Molecular dynamics, collective motions in proteins, 1579
—, of ferrocytochrome *c*, 1579
Molecular mechanics, applied to A- and B-DNA, 969
Molecular-orbital calculations, on uracil carbonyls, 731
Molecular simulation, using the constrained damped least-squares method, 1373
Molecular weight, polymer, by ion-exchange chromatography, 2173
Molecular weight distribution, of rodlike polymers, 1461
Monoclonal antibodies, in antigen structure study, 425
Monte Carlo analysis, of excluded-volume effect in DNA, 1087
Monte Carlo simulation, of solvated antamanide, 27
Motions, internal, evaluation of DNA models for, 2703
Mucins, hydrodynamics of, 2141
—, porcine submaxillary, solution properties of, 1657
Mucous glycoproteins, hydrodynamics of, 2141
Muramyl dipeptide, as synthetic adjuvant, 415
Mutations, temperature-sensitive, protein folding in, 125
Mycobacterium smegmatis, x-ray diffraction of DNA from, 1633(C)
Myelin basic protein, nmr of, 377
Myoglobin, effect of heme on folding of, 79

Neighbor-exclusion parameter, given by new ligand binding plot, 1967
Nematic–isotropic transition, coupling to helix–coil, 43
Neuropeptides, neurophysin binding, 355
Neurophysin–neuropeptide complex, biosynthesis and interactions, 355
Neutron small-angle diffraction, of melittin–phospholipid multilayers, 391
Nmr, of A- and G-containing oligonucleotides, 919
—, of acetyl-L-Phe *p*-acetyl anilides, 1489
—, of angiotensin analogs, 227
—, ^{13}C-, of angiotensin II model peptides, 663
—, ^{13}C-, of cyclo(X-Pro)$_4$ metal complexes, 2383
—, ^{13}C-, of free and protected proline tetrapeptides, 1853

—, ^{13}C-, of oligo- and polyribonucleotides, 1843(C)
—, ^{13}C-, of peptide in vesicles and micelles, 381
—, ^{13}C- and ^{1}H-, of *cyclo*(L-Pro-Sar), 617
—, ^{13}C–^{31}P, of 3′ nucleotide, 605
—, of cyclic octapeptides, 2191
—, of cyclic proline peptide, 153
—, cyclic pseudopeptide, 147
—, dynamics of $(dG\text{-}dC)_3$ studied by, 1107
—, ^{19}F-, of 2′-fluoro-2′-dioxyadenosine-containing nucleotides, 1427
—, ^{19}F-, study of DNA bis-intercalators, 2497
—, Fourier-transform, suppression of H_2O signal, 1259(C)
—, ^{1}H-, imidazole pK_a's of $(His)_2$ by, 2563
—, ^{1}H-, of AM-toxins, 1167
—, ^{1}H-, of α-factor from *S. cerevisiae*, 815(C)
—, ^{1}H-, of 2′-fluoro-2′-deoxyadenosine-containing nucleotides, 1427
—, ^{1}H-, of free and protected proline tetrapeptide, 1853
—, ^{1}H-, of melittin–phospholipid interactions, 391
—, ^{1}H-, of oligo- and polyribonucleotides, 1843(C)
—, ^{1}H-, of peptide in vesicles and micelles, 381
—, ^{1}H-, of retro–inverso peptides, 1869
—, of histones, 113
—, of myelin basic protein, 377
—, ^{15}N-, of angiotensin II model peptides, 663
—, of oligovaline β-helix, 157
—, ^{31}P-, of 2′-fluoro-2′-deoxyadenosine-containing nucleotides, 1427
—, ^{31}P-, of poly(dAdT)·poly(dAdT), 879
—, ^{31}P-, of poly(dA)·poly(dT), 879
—, ^{31}P-, of poly(dGdC)·poly(dGdC), 879
—, of peptide hormones, 517
—, of POE-bound oligopeptides, 163
—, of poly(L-Lys)–carbonate complex, 1027
—, of serine-containing peptides, 341
—, of snake neurotoxins, 139
—, of substance P analogs, 247
—, two-dimensional, for resonance assignments, 131
Normal coordinate calculations, for glycylglycine, 1267
—, for glycyl-L-proline, 1285
Normal modes, of double-helix–single-strand junction, 1759
Nuclear Overhauser effect, in *cyclo*(L-Pro-Sar), 617
Nuclear polarization, in proteinase–inhibitor complexes, 387
Nucleation growth model, applied to collagen fibrils, 1793
Nucleic acid monomers, CD, transition parameters of, 755
Nucleosides, uridine, hydrogen bonding in, 731
Nucleotide dynamics, solvent effects, 1107
Nucleotides, di- and mono-, containing 2′-fluoro-2′-deoxyadenosine, 1427
—, nmr study of base-stacking in, 919
Nucleotide stacking, single-strand, improved CD analysis applied to, 945
Nucleotide stereochemistry, effect of 2′ substituent, sugar pucker, 605

Oligo(Ala-Ala-Gly), conformation and ion transport properties, 403
Oligoalanines, conformation and ion transport properties, 403
—, α-helix/β-sheet ratio by ^{13}C-nmr, 1357
Oligo(Leu-Ser-Leu-Gly), conformation and ion transport properties, 403
Oligomeric proteins, assembly and folding, 125
Oligonucleotide dynamics, solvent effects, 1107
Oligonucleotides, as mutated DNA models, 1235
—, nmr study of base-stacking in, 919
—, preferred structures by molcular mechanics, 969
Oligopeptides, mobility of positional isomers on silica, 1401
Oligoprolines, x-ray analysis of, 305
Oligoribonucleotides, nmr and conformational properties, 1843(C)
Oligosaccharides, for polysaccharide CD analysis, 1319
Optical activity, calculated for polypeptides, 171
Orientational interactions, of DNA in dilute solutions, 2353
Oxytocin, antagonists of, 517

Packing, of collagen helices, 33
Partial retention of diatomic differential overlap (PRDDO), 731
Pattern recognition, computerized, for protein structure specification, 2577
PEG-bound peptides, conformation correlated to physical properties, 1849(C)
—, GPC of, 1849(C)
Pepsinogen, GuHCl denaturation profile of, 2105
Peptaibol antibiotics, conformational preferences of, 1335
Peptide, cyclic, with all-*cis* peptide bonds, 617, 633
Peptide–catecholamine conjugates, 531
Peptide chemistry, history of, 579
Peptide factors, criteria for purity, 493
—, as pharmaceuticals, 493
—, stability upon storage, 493
Peptide pharmaceuticals, ceruletide and eledoisin, 507
Peptide–ribbon representation, of protein folding, 37

Peptides, molal volumes in aqueous urea, 2397
—, PEG-bound, conformation correlated to physical properties, 1849(C)
Peptide solvation, calorimetric study of, 869
Peptide–water interactions, 27
Persistence length, of collagen from viscoelastic measurements, 1747
—, DNA, electrostatic and intrinsic, 2727
—, DNA, end effects governing, 811(C)
—, DNA, in breathing and bending, 689
—, electrostatic, in DNA gels, 935
pH, effect on hyaluronate viscosity, 589(C)
—, effects on DNA counterion condensation, 1097
Phospholipid vesicles, gramicidin incorporation in, 397
Photoaffinity labeling, of neurophysin binding site, 355
Photo-CIDNP, in proteinase–inhibitor complexes, 387
Photon correlation spectroscopy, of poly(γ-benzyl-L-glutamate), 1461
Phycocyanin, stability of normal vs deuterated form, 1223
Plot, modified Scatchard, for characterizing ligand binding, 1967
Poisson-Boltzmann equation, applied to metal–DNA binding, 1831
—, compared with angularly variable model, 2331
Poly(L-alanine), millimeter-wave spectroscopy of, 1715
Poly(L-alanines), α-helix/β-sheet ratio by ^{13}C-nmr, 1357
Polyamines, condensation of DNA by, 1097
Poly(2-aminodeoxyadenylic acid), CD of complexes, 597(C)
—, thermal stability of complexes, 597(C)
Poly(aminoisobutyric acid), electron diffraction studies of, 319
Poly(γ-benzyl-L-glutamate), laser light-scattering study of, 1461
—, polydisperse, reversing-pulse electric birefringence of, 2077
Poly(*S*-carboxymethyl-L-cysteine), effect of DP on conformation, 2173
—, preparation and fractionation of, 2173
Poly(dI-dC)·poly(dI-dC), vacuum uv CD study of, 1445(C)
Polydispersity, new analytical method for, 2077
Polyelectrolytes, surface charge density and dynamic charge of, 2169(C)
Polyelectrolyte theory, for angularly variable charge distribtions, 2331
Polyethylene glycol, flexibility in dilute solution, 1301
Poly(ethylene oxide), chemical modification of, 569
—, insulin bound to, 569
Poly(L-Glu), ethyl ester copolymers, permeability to proteins, 547
Poly(Glu,Lys,Phe), immune response of mice to, 441
Poly(Glu,Phe), immune response of mice to, 441
Poly(Gly)-II, structure of L-Ala-Gly-Gly model, 833
Poly(Gly-Pro-Pro), conformational energy calculations of, 33
Poly(L-Lys HBr), nmr of complex with carbonate, 1027
Poly(L-lysine), derivatized with Cu(II)-binding peptide, 2325
—, kinetics of dye-binding by, 2035
Polymer crystallization, theory applied to collagen fibrils, 1793
Polymer flexibility, a hinged-dumbbell model for, 1301
Polymeric supports, polar, for SPPS, 839
Polymerization, fibrin, studied by light scattering, 2017(C)
—, NCA, of *S*-carboxymethyl-L-cysteine, 2173
—, of polar SPPS supports, 839
Polyoxyethylene, oligopeptides bound to, 163
Polypeptides, block, DNA supercoiling induced by, 2517(C)
—, calculation of optical activity, 171
—, dynamic conformation of, 579
—, random, by NCA copolymerization, 747
—, synthetic, as antigens, 453
—, vibrational analysis of, 217
Poly(γ-phenethyl-L-glutamate), x-ray and energy-minimization structures, 1071
Polyribonucleotides, nmr and conformational properties, 1843(C)
Polysaccharide chains, computer visualization of, 1769
—, conformational calculations on, 1769
—, extension and flexibility, 1769
Polystyrene latex spheres, diffusion at various temperatures, 593(C)
—, temperature dependence of diffusion coefficient, 1023(C)
Poly(X)·poly(U) complexes, four-stranded helix proposed, 2021
Porosity, hydrodynamic treatment of, 2141
Probability density functions, for hydrogen-exchange kinetics in lysozyme, 895
Proline, conformation of oligomers of, 305
—, β-turn-promoting character of, 1853
Proteinases,serine CIDNP in inhibitor complexes, 387
Protein denaturation, comparison of 17 profiles, 2123
Protein–DNA complexes, cooperative binding, 1697
—, dissociation kinetics model, 1697
Protein dynamics, time dependence of, 1579
Protein folding, pathways for myoglobin, 79

—, theoretical treatment of, 1
—, topological constraints in, 37
—, trapping intermediates in, 59
—, *in vivo*, 125
Protein–nucleic acid interactions, model experiments, 2549
Protein secondary structure, classification of elements of, 2577
—, prediction of, 15
Protein unfolding, kinetics of, 101
Proteoglycan–hyaluronate complex, (2:1), strength versus hyaluronate chain length, 2501(C)
Pseudopeptide, cyclic, 147
Pulsed nmr, suppression of H_2O signal, 1259(C)
Purity, criteria for peptides, 493
—, of peptide pharmaceuticals, 507

Quasielastic light scattering, of crystallin proteins, 1203
—, diffusion coefficients measured by, 643
—, study of porcine submaxillary mucin, 1657
—, treatment of concentrated solutions, 1203
Quasielectric light scattering, study of DNA counterion condensation, 1097

Raman spectroscopy, gramicidin–lipid cocrystals, 397
—, of hydrated lysozyme, 255
—, of peptides, polypeptides, and proteins, 217
—, study of glycylglycine vibrations, 1267
—, study of glycyl-L-proline vibrations, 1285
Random coil, nonplanar amides in, 189
Random copolypeptides, of lysine and alanine, 2219
—, of lysine and leucine, 2237
Reactivity, of PEG-bound peptides, 1849(C)
Reactivity ratios, of amino acid NCAs, 747
Receptor clustering, temperature dependence of, 347
Receptor mobility, of EGF receptor, 347
Reductive amination, 531
Relaxation, picosecond, using millimeter-wave spectroscopy, 1715
Release, controlled, of proteins by Glu-based polymer, 547
Residues, side-chain protected, conformational preferences, 233
Resonance assignments, by 2D nmr, 131
Retro–inverso, substance P analogs, 247
Retro–inverso analogs, of somatostatin, 2523
Retro–inverso peptides, *ab initio* calculations on, 1901
—, nmr characteristics of, 1869
—, rigid and flexible geometry calculations, 1885

Ribonuclease, bovine seminal refined x-ray structure of, 327
—, H-nmr of folding intermediates, 59
Ribonuclease A, GuHCl denaturation profile of, 2105
Ribonucleotides, conformation by nmr, 605
Rigidity, of DNA toward bending and twisting, 2273
RNA helix, compared with DNA helix, 2001
RNA melting, correlation of T_m, sequence, and ΔH, 2001
RNA,transfer, chemical modification of surface groups, 1145
Rods, rigid, theory of dynamic light scattering by, 849
Rotational relaxation, of DNA in dilute solution, 2353
Rouse-Zimm model, 2207

Salt, effect on DNA secondary structure, 879
Salt bridges, role in solvated polypeptides, 49
Salt effect, on melting of d(CGCGAATTCGCG), 1247
Scanning microcalorimetry, of histones, 113
Scatchard plot, modification to, 1967
SEC–HPLC, for thermolysin autolysis kinetics, 101
Secondary structure, protein, classification of elements of, 2577
Secretin, calculated effect of charged lipids on helicity, 1003
Sedimentation, axial ratios of macromolecules from, 1813
Self-association, of neurophysins, 355
Sequential polypeptides, of lysine and alanine, 2219
—, of (Lys_i-Leu_j) and (Lys_i-Ser_j), 2237
Serine, β-turn stabilized by, 341
Serine proteinases, CIDNP in inhibitor complexes, 387
β-Sheet, nonplanar amides in, 189
β-Sheet-α-helix ratio, of oligo- and poly(L-alanines) by ^{13}C-nmr, 1357
Silver ion, LD of DNA complex with, 601(C)
Solid-phase peptide synthesis, *N*-acrylyl pyrrolidine, *N*,*N*-dimethyl acrylamide-based polymer for, 839
Solubility, of PEG-bound peptides, 1849(C)
Solvation, Monte Carlo simulation of, 27
—, peptide, calorimetric study of, 869
Solvent, mixed, effect on hemoglobin O_2 release, 1677
Solvent effect, on cyclo(X-Pro)$_4$ complexation, 2383
Somatostatin, extended retro–inverso analogs of, 2523
Spectroscopy, multidimensional, denaturation profiles using, 93
Spermidine, condensation of DNA by, 1097

Spheres, assemblies of, translational friction of, 1133
Stability, of normal and deuterated proteins, 1223
—, of stored peptides, 493
Stacking, single-strand, improved CD analysis applied to, 945
Stiffness, of DNA of finite length, 811(C)
Stokes' law, validity for polystyrene latex spheres, 1023(C)
Stopped-flow technique, kinetics of dye-binding by poly(L-lysine), 2035
β-Structure, in host–guest peptides, 233
—, in poly(*S*-carboxymethyl-L-cysteine), 2173
Structure–activity studies, of anaphylactogenic antigens, 475
Substance P, hexapeptide analogs, 247
Sugar pucker, effect on nucleotide conformation, 605
Sulfhydryl groups, laser-Raman study of β-lactoglobulin, 2507(C)
Supercoiling, DNA, induced by synthetic polypeptide, 2517(C)
Surface, accessible, evaluated for biopolymers in solution, 1507
—, accessible, of yeast Phe-tRNA, 1145
—, molecular, evaluated for biopolymers in solution, 1507
Suspension polymerization, reverse phase of SPPS polymeric supports, 839
Suzukacillin, x-ray diffraction of fragment, 1499
Swelling pressure, of DNA gels, 935
Synthesis, of cyclic octapeptides, 2191
—, improved, of Fmoc amino acids, 2157(C)
Synthetic polypeptide antigens, 441

T-cell factors, characterization of, 453
Temperature-jump kinetics, of DNA helix formation, 1235
Template method, for ionophore synthesis, 409
Tensors, for the hydrodynamic interaction of spheres, 1133
Thermodynamics, of DNA breathing, bending, 689
—, of helix–coil heat-capacity increments, 2411
—, of methylproline solvation, 869
Thermolysin, 206–316 fragments, domain character of, 69
—, unfolding kinetics, 101
Thiol groups, effective concentration, 49
Thioredoxin fragments, CD, fluorescence studies of, 107
Tobacco mosaic virus, anisotropy of translational diffusion, 849
—, dynamic light scattering by, 849
Topology, of protein folding, 37
Toxin B, nmr and deuterium exchange of, 139
—, rigidity and toxicity of, 139
Transfer RNA, phenylalanine, chemical modification of, 1145
—, phenylalanine, surface accessiblity of, 1145
Transition moments, π to π^*, for cGMP, CMP, 755
—, π to π^*, for guanine, cytosine, 755
Translation, *in vitro*, of neurophysin–neuropeptide precursors, 355
Trifluoroethanol, microtubule protein conformation in, 87
Triple–helix, collagen packing of, 33
Trypsin, CIDNP in inhibitor complexes, 387
—, flexibility in, 261
β-Trypsin, changes on BPTI binding, 363
—, kinetics of BPTI binding, 363
Tryptophan-containing peptides, conformation and fluorescence of, 2459
β-Turn, 163
—, in Aib-containing peptides, 241
—, in cyclic pseudopeptide, 147
—, found for Gly-Pro-Gly-Gly, 1853
—, nonplanar amides in, 189
—, serine stabilization of, 341
γ-Turn, in cyclic pseudopeptide, 147
Turns, as elementary H-bonding patterns, 2577
Two-dimensional nmr, for resonance assignments, 131
Tyrosine residues, as probes of fibronectin structure, 821
Tyrosyl polypeptides, by NCA polymerization, 747

Unfolding, mechanism in thermolysin, 101
Universal K^3 region, 2207
Uracil, carbonyl hydrogen bonding in, 731
Urea, effect on molal volumes of amino acids, 2397
Uv, studies of PEO-bound insulin, 569

Vaccines, synthetic, synthetic antigens for, 415
Valine, β-helical oligopeptides of, 157
Vasoactive intestinal peptide, calculated effect of charged lipids on helicity, 1003
Vesicles, ir studies of peptide in, 381
—, phospholipid, conformation of gramicidin in, 397
Vibrational analysis, of polypeptide conformation, 217
Vibrational modes, of double-helix–single-strand junction, 1759
Vibrations, normal, of glycylglycine, 1267
—, normal, of glycyl-L-proline, 1285
Virus, influenza, synthetic vaccine against, 415
Viscoelastic properties, of collagen at infinite dilution, 1747
Viscometry, of proteoglycan–hyaluronate complexes, 2501(C)

Viscosity, axial ratios of macromolecules from, 1813
Viscosity number, limiting, of hyaluronate, 589(C)
Viscous damping, 2639
Volumes, molal, of amino acids, peptides in aqueous urea, 2397
—, molecular, evaluated for biopolymers in solution, 1507

Walden's rule, experimental tests of, 593(C)
Water, bound, in collagen structure, 2539
—, effects on lysozyme conformation, 1637(C)
—, freezable and nonfreezable, effect on collagen crystal spacing, 2539
—, interaction with charged amino acids, 1449
—, suppression of nmr signal of, 1259(C)
Water content, as conformational determinant in nonpolar solvents, 1489

X-ray analysis, of Aib-containing peptides, 241
—, of alternating L,D peptides, 323
—, of avian pancreatic polypeptide (0.98 Å), 293
—, of bovine seminal ribonuclease, 327
—, of diastereomeric oligoprolines, 305
—, of peptides of α,α-dialkyl residues, 205
X-ray crystallography, of modified insulins, 281
—, of poly(Gly)-II models, 833
—, preliminary, an aid to obtaining structures from, 1373
—, protein flexibility observed by, 261
—, of serine-containing peptides, 341
X-ray diffraction, of cellulose II–hydrazine complex, 1383
—, of *Mycobacterium smegmatis* DNA, 1633(C)
—, of DNA in solution, 1523
—, of histone fragment with DNA, 333
—, of hydrated collagen, 2539
—, low-angle, of supercoiled DNA, 2517(C)
—, of *cyclo*(L-Pro-Sar), 633
X-ray diffraction analyses, of Aib-containing peptides, 1335
—, of poly(γ-phenethyl-L-glutamate), 1071
X-ray diffraction studies, suzukacillin pentapeptide, 1499
X-ray scattering, calculated, of biopolymers in solution, 1507